

Checklist: Birds of Colombia

Tinamous (Tinamidae)

- Grey Tinamou (*Tinamus tao*)
- Black Tinamou (*Tinamus osgoodi*)
- Great Tinamou (*Tinamus major*)
- White-throated Tinamou (*Tinamus guttatus*)
- Highland Tinamou (*Nothocercus bonapartei*)
- Tawny-breasted Tinamou (*Nothocercus julius*)
- Berlepsch's Tinamou (*Crypturellus berlepschi*)
- Cinereous Tinamou (*Crypturellus cinereus*)
- Little Tinamou (*Crypturellus soui*)
- Brown Tinamou (*Crypturellus obsoletus*)
- Undulated Tinamou (*Crypturellus undulatus*)
- Grey-legged Tinamou (*Crypturellus duidae*)
- Red-legged Tinamou (*Crypturellus erythropus*)
- Choco Tinamou (*Crypturellus kerriae*)
- Variegated Tinamou (*Crypturellus variegatus*)
- Rusty Tinamou (*Crypturellus brevirostris*)
- Barred Tinamou (*Crypturellus casiquiare*)

Chachalacas, Curassows & Guans (Cracidae)

- Grey-headed Chachalaca (*Ortalis cinereiceps*)
- Chestnut-winged Chachalaca (*Ortalis garrula*) E
- Rufous-vented Chachalaca (*Ortalis ruficauda*)
- Rufous-headed Chachalaca (*Ortalis erythroptera*)
- Speckled Chachalaca (*Ortalis guttata*)
- Colombian Chachalaca (*Ortalis columbiana*) E
- Band-tailed Guan (*Penelope argyrotis*)
- Baudo Guan (*Penelope ortonii*)
- Andean Guan (*Penelope montagnii*)
- Crested Guan (*Penelope purpurascens*)
- Cauca Guan (*Penelope perspicax*) E
- Spix's Guan (*Penelope jacquacu*)
- Blue-throated Piping Guan (*Pipile cumanensis*)
- Wattled Guan (*Aburria aburri*)
- Sickle-winged Guan (*Chamaepetes goudotii*)
- Nocturnal Curassow (*Nothocrax urumutum*)
- Crestless Curassow (*Mitu tomentosum*)
- Salvin's Curassow (*Mitu salvini*)
- Razor-billed Curassow (*Mitu tuberosum*)
- Helmeted Curassow (*Pauxi pauxi*)
- Great Curassow (*Crax rubra*)
- Blue-billed Curassow (*Crax alberti*) E
- Yellow-knobbed Curassow (*Crax daubentoni*)
- Black Curassow (*Crax alector*)
- Wattled Curassow (*Crax globulosa*)

New World Quail (Odontophoridae)

- Crested Bobwhite (*Colinus cristatus*)
- Marbled Wood Quail (*Odontophorus gujanensis*)

New World Quail (Odontophoridae)

- Rufous-fronted Wood Quail (*Odontophorus erythropus*)
- Black-fronted Wood Quail (*Odontophorus atrifrons*)
- Chestnut Wood Quail (*Odontophorus hyperythrus*) E
- Dark-backed Wood Quail (*Odontophorus melanonotus*)
- Tacarcuna Wood Quail (*Odontophorus dialeucos*)
- Gorgeted Wood Quail (*Odontophorus strophium*) E
- Starred Wood Quail (*Odontophorus stellatus*)
- Tawny-faced Quail (*Rhynchortyx cinctus*)

Screamers (Anhimidae)

- Horned Screamer (*Anhima cornuta*)
- Northern Screamer (*Chauna chavaria*)

Ducks, Geese & swans (Anatidae)

- White-faced Whistling Duck (*Dendrocygna viduata*)
- Black-bellied Whistling Duck (*Dendrocygna autumnalis*)
- Fulvous Whistling Duck (*Dendrocygna bicolor*)
- Greylag Goose (*Anser anser*)
- Torrent Duck (*Merganetta armata*)
- Comb Duck (*Sarkidiornis sylvicola*)
- Orinoco Goose (*Neochen jubata*)
- Muscovy Duck (*Cairina moschata*)
- Brazilian Teal (*Amazonetta brasiliensis*)
- Gadwall (*Anas strepera*)
- American Wigeon (*Anas americana*)
- Mallard (*Anas platyrhynchos*)
- Blue-winged Teal (*Anas discors*)
- Cinnamon Teal (*Anas cyanoptera*)
- Northern Shoveler (*Anas clypeata*)
- White-cheeked Pintail (*Anas bahamensis*)
- Andean Teal (*Anas andium*)
- Yellow-billed Pintail (*Anas georgica*)
- Northern Pintail (*Anas acuta*)
- Green-winged Teal (*Anas carolinensis*)
- Southern Pochard (*Netta erythrophthalma*)
- Ring-necked Duck (*Aythya collaris*)
- Lesser Scaup (*Aythya affinis*)
- Masked Duck (*Nomonyx dominicus*)
- Andean Duck (*Oxyura ferruginea*)

Penguins (Spheniscidae)

- Magellanic Penguin (*Spheniscus magellanicus*)
- Humboldt Penguin (*Spheniscus humboldti*)
- Galapagos Penguin (*Spheniscus mendiculus*)

Albatrosses (Diomedidae)

- Waved Albatross (*Phoebastria irrorata*)
- Black-browed Albatross (*Thalassarche melanophris*)

Petrels, Shearwaters (Procellariidae)

- Cape Petrel (*Daption capense*)
- Black-capped Petrel (*Pterodroma hasitata*)
- Galapagos Petrel (*Pterodroma phaeopygia*)
- Black Petrel (*Procellaria parkinsoni*)
- Westland Petrel (*Procellaria westlandica*)
- Christmas Shearwater (*Puffinus nativitatis*)
- Wedge-tailed Shearwater (*Puffinus pacificus*)
- Audubon's Shearwater (*Puffinus lherminieri*)
- Galapagos Shearwater (*Puffinus subalaris*)
- Sooty Shearwater (*Puffinus griseus*)
- Pink-footed Shearwater (*Puffinus creatopus*)

Storm Petrels (Hydrobatidae)

- Wilson's Storm Petrel (*Oceanites oceanicus*)
- Elliot's Storm Petrel (*Oceanites gracilis*)
- White-bellied Storm Petrel (*Fregetta grallaria*)
- Least Storm Petrel (*Oceanodroma microsoma*)
- Wedge-rumped Storm Petrel (*Oceanodroma tethys*)
- Band-rumped Storm Petrel (*Oceanodroma castro*)
- Leach's Storm Petrel (*Oceanodroma leucorhoa*)
- Markham's Storm Petrel (*Oceanodroma markhami*)
- Black Storm Petrel (*Oceanodroma melania*)
- Hornby's Storm Petrel (*Oceanodroma hornbyi*)

Grebes (Podicipedidae)

- Least Grebe (*Tachybaptus dominicus*)
- Pied-billed Grebe (*Podilymbus podiceps*)
- Silvery Grebe (*Podiceps occipitalis*)

Flamingos (Phoenicopteridae)

- American Flamingo (*Phoenicopterus ruber*)

Tropicbirds (Phaethontidae)

- Red-billed Tropicbird (*Phaethon aethereus*)
- White-tailed Tropicbird (*Phaethon lepturus*)

Storks (Ciconiidae)

- Wood Stork (*Mycteria americana*)
- Maguari Stork (*Ciconia maguari*)
- Jabiru (*Jabiru mycteria*)

Ibises, Spoonbills (Threskiornithidae)

- Buff-necked Ibis (*Theristicus caudatus*)
- Sharp-tailed Ibis (*Cercibis oxycerca*)
- Green Ibis (*Mesembrinibis cayennensis*)
- Bare-faced Ibis (*Phimosus infuscatus*)
- American White Ibis (*Eudocimus albus*)
- Scarlet Ibis (*Eudocimus ruber*)
- Glossy Ibis (*Plegadis falcinellus*)
- Roseate Spoonbill (*Platalea ajaja*)

Hérons, Bitterns (Ardeidae)

- Rufescent Tiger Heron (*Tigrisoma lineatum*)
- Fasciated Tiger Heron (*Tigrisoma fasciatum*)
- Bare-throated Tiger Heron (*Tigrisoma mexicanum*)
- Agami Heron (*Agamia agami*)
- Boat-billed Heron (*Cochlearius cochlearius*)
- Zigzag Heron (*Zebrilus undulatus*)
- Pinnated Bittern (*Botaurus pinnatus*)
- Stripe-backed Bittern (*Ixobrychus involucris*)
- Least Bittern (*Ixobrychus exilis*)
- Black-crowned Night Heron (*Nycticorax nycticorax*)
- Yellow-crowned Night Heron (*Nyctanassa violacea*)
- Green Heron (*Butorides virescens*)
- Striated Heron (*Butorides striata*)
- Western Cattle Egret (*Bubulcus ibis*)
- Great Blue Heron (*Ardea herodias*)
- Cocoi Heron (*Ardea cocoi*)
- Great Egret (*Ardea alba*)
- Capped Heron (*Ptilerodius pileatus*)
- Whistling Heron (*Syrigma sibilatrix*)
- Reddish Egret (*Egretta rufescens*)
- Tricolored Heron (*Egretta tricolor*)
- Little Blue Heron (*Egretta caerulea*)
- Snowy Egret (*Egretta thula*)

Pelicans (Pelecanidae)

- American White Pelican (*Pelecanus erythrorhynchos*)
- Brown Pelican (*Pelecanus occidentalis*)

Frigatebirds (Fregatidae)

- Magnificent Frigatebird (*Fregata magnificens*)
- Great Frigatebird (*Fregata minor*)

Gannets, Boobies (Sulidae)

- Blue-footed Booby (*Sula nebouxi*)
- Peruvian Booby (*Sula variegata*)
- Masked Booby (*Sula dactylatra*)
- Nazca Booby (*Sula granti*)
- Red-footed Booby (*Sula sula*)
- Brown Booby (*Sula leucogaster*)

Cormorants, Shags (Phalacrocoracidae)

- Neotropic Cormorant (*Phalacrocorax brasilianus*)
- Guanay Cormorant (*Leucocarbo bougainvillii*)

Anhingas, Darters (Anhingidae)

- Anhinga (*Anhinga anhinga*)

New World Vultures (Cathartidae)

- Turkey Vulture (*Cathartes aura*)
- Lesser Yellow-headed Vulture (*Cathartes burrovianus*)
- Greater Yellow-headed Vulture (*Cathartes melambrotus*)

New World Vultures (Cathartidae)

- Black Vulture (*Coragyps atratus*)
- King Vulture (*Sarcoramphus papa*)
- Andean Condor (*Vultur gryphus*)

Ospreys (Pandionidae)

- Western Osprey (*Pandion haliaetus*)

Kites, Hawks & Eagles (Accipitridae)

- Grey-headed Kite (*Leptodon cayanensis*)
- Hook-billed Kite (*Chondrohierax uncinatus*)
- Swallow-tailed Kite (*Elanoides forficatus*)
- Pearl Kite (*Gampsonyx swainsonii*)
- White-tailed Kite (*Elanus leucurus*)
- Snail Kite (*Rostrhamus sociabilis*)
- Slender-billed Kite (*Helicolestes hamatus*)
- Double-toothed Kite (*Harpagus bidentatus*)
- Mississippi Kite (*Ictinia mississippiensis*)
- Plumbeous Kite (*Ictinia plumbea*)
- Long-winged Harrier (*Circus buffoni*)
- Northern Harrier (*Circus cyaneus*)
- Cinereous Harrier (*Circus cinereus*)
- Grey-bellied Hawk (*Accipiter poliogaster*)
- Tiny Hawk (*Accipiter superciliosus*)
- Semicollared Hawk (*Accipiter collaris*)
- Plain-breasted Hawk (*Accipiter ventralis*)
- Cooper's Hawk (*Accipiter cooperii*)
- Bicolored Hawk (*Accipiter bicolor*)
- Crane Hawk (*Geranospiza caerulescens*)
- Plumbeous Hawk (*Leucopternis plumbeus*)
- Slate-colored Hawk (*Leucopternis schistaceus*)
- Barred Hawk (*Leucopternis princeps*)
- Black-faced Hawk (*Leucopternis melanops*)
- Semiplumbeous Hawk (*Leucopternis semiplumbeus*)
- White Hawk (*Leucopternis albicollis*)
- Common Black Hawk (*Buteogallus anthracinus*)
- Great Black Hawk (*Buteogallus urubitinga*)
- Savanna Hawk (*Buteogallus meridionalis*)
- Harris's Hawk (*Parabuteo unicinctus*)
- Black-collared Hawk (*Busarellus nigricollis*)
- Black-chested Buzzard-eagle (*Geranoaetus melanoleucus*)
- Montane Solitary Eagle (*Harpohaliaetus solitarius*)
- Grey Hawk (*Buteo nitidus*)
- Roadside Hawk (*Buteo magnirostris*)
- Broad-winged Hawk (*Buteo platypterus*)
- White-rumped Hawk (*Buteo leucorrhous*)
- Short-tailed Hawk (*Buteo brachyurus*)
- White-throated Hawk (*Buteo albigula*)
- Swainson's Hawk (*Buteo swainsoni*)
- White-tailed Hawk (*Buteo albicaudatus*)
- Variable Hawk (*Buteo polyosoma*)

Kites, Hawks & Eagles (Accipitridae)

- Zone-tailed Hawk (*Buteo albonotatus*)
- Red-tailed Hawk (*Buteo jamaicensis*)
- Crested Eagle (*Morphnus guianensis*)
- Harpy Eagle (*Harpia harpyja*)
- Black Hawk-eagle (*Spizaetus tyrannus*)
- Black-and-white Hawk-eagle (*Spizaetus melanoleucus*)
- Ornate Hawk-eagle (*Spizaetus ornatus*)
- Black-and-chestnut Eagle (*Spizaetus isidori*)

Caracaras, Falcons (Falconidae)

- Black Caracara (*Daptrius ater*)
- Red-throated Caracara (*Ibycter americanus*)
- Carunculated Caracara (*Phalcooboenus carunculatus*)
- Northern Crested Caracara (*Caracara cheriway*)
- Yellow-headed Caracara (*Milvago chimachima*)
- Laughing Falcon (*Herpetotheres cachinnans*)
- Barred Forest Falcon (*Micrastur ruficollis*)
- Plumbeous Forest Falcon (*Micrastur plumbeus*)
- Lined Forest Falcon (*Micrastur gilvicollis*)
- Slaty-backed Forest Falcon (*Micrastur mirandollei*)
- Collared Forest Falcon (*Micrastur semitorquatus*)
- Buckley's Forest Falcon (*Micrastur buckleyi*)
- American Kestrel (*Falco sparverius*)
- Aplomado Falcon (*Falco femoralis*)
- Merlin (*Falco columbarius*)
- Bat Falcon (*Falco rufigularis*)
- Orange-breasted Falcon (*Falco deiroleucus*)
- Peregrine Falcon (*Falco peregrinus*)

Sunbittern (Eurypygidae)

- Sunbittern (*Eurypyga helias*)

Finfoots (Heliornithidae)

- Sungrebe (*Heliornis fulica*)

Rails, Crakes & Coots (Rallidae)

- Speckled Rail (*Coturnicops notatus*)
- Ocellated Crake (*Micropygia schomburgkii*)
- Chestnut-headed Crake (*Anurolimnas castaneiceps*)
- Russet-crowned Crake (*Laterallus viridis*)
- Black-banded Crake (*Laterallus fasciatus*)
- Rufous-sided Crake (*Laterallus melanophaeus*)
- White-throated Crake (*Laterallus albigularis*)
- Grey-breasted Crake (*Laterallus exilis*)
- Black Rail (*Laterallus jamaicensis*)
- Clapper Rail (*Rallus longirostris*)
- Ecuadorian Rail (*Rallus aequatorialis*)
- Bogota Rail (*Rallus semiplumbeus*)
- Rufous-necked Wood Rail (*Aramides axillaris*)
- Grey-necked Wood Rail (*Aramides cajanea*)
- Brown Wood Rail (*Aramides wolfi*)

E

Rails, Crakes & Coots (Rallidae)

- Uniform Crake (*Amaurolimnas concolor*)
- Sora (*Porzana carolina*)
- Ash-throated Crake (*Porzana albicollis*)
- Yellow-breasted Crake (*Porzana flaviventer*)
- Colombian Crake (*Neocrex colombiana*)
- Paint-billed Crake (*Neocrex erythrops*)
- Spotted Rail (*Pardirallus maculatus*)
- Blackish Rail (*Pardirallus nigricans*)
- Purple Gallinule (*Porphyrio martinica*)
- Azure Gallinule (*Porphyrio flavirostris*)
- Common Gallinule (*Gallinula galeata*)
- Spot-flanked Gallinule (*Gallinula melanops*)
- American Coot (*Fulica americana*)
- Caribbean Coot (*Fulica caribaea*)
- Andean Coot (*Fulica ardesiaca*)

Trumpeters (Psophiidae)

- Grey-winged Trumpeter (*Psophia crepitans*)
- Pale-winged Trumpeter (*Psophia leucoptera*)

Limpkin (Aramidae)

- Limpkin (*Aramus guarana*)

Stone-curlews, Thick-Knees (Burhinidae)

- Double-striped Thick-knee (*Burhinus bistriatus*)

Oystercatchers (Haematopodidae)

- American Oystercatcher (*Haematopus palliatus*)

Stilts, Avocets (Recurvirostridae)

- Black-necked Stilt (*Himantopus mexicanus*)

Plovers (Charadriidae)

- Southern Lapwing (*Vanellus chilensis*)
- Andean Lapwing (*Vanellus resplendens*)
- American Golden Plover (*Pluvialis dominica*)
- Grey Plover (*Pluvialis squatarola*)
- Semipalmated Plover (*Charadrius semipalmatus*)
- Wilson's Plover (*Charadrius wilsonia*)
- Killdeer (*Charadrius vociferus*)
- Snowy Plover (*Charadrius nivosus*)
- Collared Plover (*Charadrius collaris*)
- Pied Plover (*Hoploxypterus cayanus*)

Jacanas (Jacanidae)

- Wattled Jacana (*Jacana jacana*)

Sandpipers, Snipes (Scolopacidae)

- Wilson's Snipe (*Gallinago delicata*)
- South American Snipe (*Gallinago paraguaiiae*)
- Noble Snipe (*Gallinago nobilis*)
- Giant Snipe (*Gallinago undulata*)

Sandpipers, Snipes (Scolopacidae)

- Andean Snipe (*Gallinago jamesoni*)
- Imperial Snipe (*Gallinago imperialis*)
- Short-billed Dowitcher (*Limnodromus griseus*)
- Long-billed Dowitcher (*Limnodromus scolopaceus*)
- Hudsonian Godwit (*Limosa haemastica*)
- Marbled Godwit (*Limosa fedoa*)
- Whimbrel (*Numenius phaeopus*)
- Long-billed Curlew (*Numenius americanus*)
- Upland Sandpiper (*Bartramia longicauda*)
- Greater Yellowlegs (*Tringa melanoleuca*)
- Lesser Yellowlegs (*Tringa flavipes*)
- Solitary Sandpiper (*Tringa solitaria*)
- Wandering Tattler (*Tringa incana*)
- Willet (*Tringa semipalmata*)
- Spotted Sandpiper (*Actitis macularius*)
- Ruddy Turnstone (*Arenaria interpres*)
- Surfbird (*Aphriza virgata*)
- Red Knot (*Calidris canutus*)
- Sanderling (*Calidris alba*)
- Semipalmated Sandpiper (*Calidris pusilla*)
- Western Sandpiper (*Calidris mauri*)
- Least Sandpiper (*Calidris minutilla*)
- White-rumped Sandpiper (*Calidris fuscicollis*)
- Baird's Sandpiper (*Calidris bairdii*)
- Pectoral Sandpiper (*Calidris melanotos*)
- Curlew Sandpiper (*Calidris ferruginea*)
- Dunlin (*Calidris alpina*)
- Stilt Sandpiper (*Calidris himantopus*)
- Buff-breasted Sandpiper (*Tryngites subruficollis*)
- Ruff (*Philomachus pugnax*)
- Wilson's Phalarope (*Phalaropus tricolor*)
- Red-necked Phalarope (*Phalaropus lobatus*)
- Red Phalarope (*Phalaropus fulicarius*)

Gulls, Terns & Skimmers (Laridae)

- Brown Noddy (*Anous stolidus*)
- Black Noddy (*Anous minutus*)
- White Tern (*Gygis alba*)
- Black Skimmer (*Rynchops niger*)
- Swallow-tailed Gull (*Creagrus furcatus*)
- Sabine's Gull (*Xema sabini*)
- Andean Gull (*Chroicocephalus serranus*)
- Grey-hooded Gull (*Chroicocephalus cirrocephalus*)
- Little Gull (*Hydrocoloeus minutus*)
- Laughing Gull (*Leucophaeus atricilla*)
- Franklin's Gull (*Leucophaeus pipixcan*)
- Grey Gull (*Leucophaeus modestus*)
- Belcher's Gull (*Larus belcheri*)
- Ring-billed Gull (*Larus delawarensis*)

Gulls, Terns & Skimmers (Laridae)

- Great Black-backed Gull (*Larus marinus*)
- American Herring Gull (*Larus smithsonianus*)
- Lesser Black-backed Gull (*Larus fuscus*)
- Gull-billed Tern (*Gelochelidon nilotica*)
- Caspian Tern (*Hydroprogne caspia*)
- Royal Tern (*Thalasseus maximus*)
- Elegant Tern (*Thalasseus elegans*)
- Cabot's Tern (*Thalasseus acufflavus*)
- Least Tern (*Sternula antillarum*)
- Yellow-billed Tern (*Sternula superciliaris*)
- Bridled Tern (*Onychoprion anaethetus*)
- Sooty Tern (*Onychoprion fuscatus*)
- Roseate Tern (*Sterna dougallii*)
- Common Tern (*Sterna hirundo*)
- Arctic Tern (*Sterna paradisaea*)
- Forster's Tern (*Sterna forsteri*)
- Black Tern (*Chlidonias niger*)
- Large-billed Tern (*Phaetusa simplex*)
- Inca Tern (*Larosterna inca*)

Skuas and Jaegers (Stercorariidae)

- South Polar Skua (*Stercorarius maccormicki*)
- Great Skua (*Stercorarius skua*)
- Pomarine Skua (*Stercorarius pomarinus*)
- Parasitic Jaeger (*Stercorarius parasiticus*)
- Long-tailed Jaeger (*Stercorarius longicaudus*)

Doves and Pigeons (Columbidae)

- Common Pigeon (*Columba livia*)
- White-crowned Pigeon (*Patagioenas leucocephala*)
- Scaled Pigeon (*Patagioenas speciosa*)
- Bare-eyed Pigeon (*Patagioenas corensis*)
- Band-tailed Pigeon (*Patagioenas fasciata*)
- Pale-vented Pigeon (*Patagioenas cayennensis*)
- Plumbeous Pigeon (*Patagioenas plumbea*)
- Ruddy Pigeon (*Patagioenas subvinacea*)
- Short-billed Pigeon (*Patagioenas nigrirostris*)
- Dusky Pigeon (*Patagioenas goodsoni*)
- African Collared Dove (*Streptopelia risoria*)
- Mourning Dove (*Zenaida macroura*)
- Eared Dove (*Zenaida auriculata*)
- White-winged Dove (*Zenaida asiatica*)
- Scaled Dove (*Columbina squammata*)
- Common Ground Dove (*Columbina passerina*)
- Plain-breasted Ground Dove (*Columbina minuta*)
- Ecuadorian Ground Dove (*Columbina buckleyi*)
- Ruddy Ground Dove (*Columbina talpacoti*)
- Picui Ground Dove (*Columbina picui*)
- Croaking Ground Dove (*Columbina cruziana*)
- Blue Ground Dove (*Claravis pretiosa*)

Doves and Pigeons (Columbidae)

- Maroon-chested Ground Dove (*Claravis mondetoura*)
- Black-winged Ground Dove (*Metriopelia melanoptera*)
- White-tipped Dove (*Leptotila verreauxi*)
- Grey-fronted Dove (*Leptotila rufaxilla*)
- Grey-headed Dove (*Leptotila plumbeiceps*)
- Pallid Dove (*Leptotila pallida*)
- Caribbean Dove (*Leptotila jamaicensis*)
- Grey-chested Dove (*Leptotila cassinii*)
- Tolima Dove (*Leptotila conoveri*)
- Russet-crowned Quail-dove (*Geotrygon goldmani*)
- Sapphire Quail-dove (*Geotrygon saphirina*)
- Olive-backed Quail-dove (*Geotrygon veraguensis*)
- Indigo-crowned Quail-dove (*Geotrygon purpurata*)
- Lined Quail-dove (*Geotrygon linearis*)
- White-throated Quail-dove (*Geotrygon frenata*)
- Violaceous Quail-dove (*Geotrygon violacea*)
- Ruddy Quail-dove (*Geotrygon montana*)

E

Parrots and Macaws (Psittacidae)

- Blue-and-yellow Macaw (*Ara ararauna*)
- Military Macaw (*Ara militaris*)
- Great Green Macaw (*Ara ambiguus*)
- Scarlet Macaw (*Ara macao*)
- Red-and-green Macaw (*Ara chloropterus*)
- Chestnut-fronted Macaw (*Ara severus*)
- Red-bellied Macaw (*Orthopsittaca manilata*)
- Yellow-eared Parrot (*Ognorhynchus icterotis*)
- Blue-crowned Parakeet (*Aratinga acuticaudata*)
- Scarlet-fronted Parakeet (*Aratinga wagleri*)
- White-eyed Parakeet (*Aratinga leucophthalma*)
- Dusky-headed Parakeet (*Aratinga weddellii*)
- Brown-throated Parakeet (*Aratinga pertinax*)
- Golden-plumed Parakeet (*Leptosittaca branickii*)
- Painted Parakeet (*Pyrrhura picta*)
- Santa Marta Parakeet (*Pyrrhura viridicata*)
- Maroon-tailed Parakeet (*Pyrrhura melanura*)
- Flame-winged Parakeet (*Pyrrhura calliptera*)
- Barred Parakeet (*Bolborhynchus lineola*)
- Rufous-fronted Parakeet (*Bolborhynchus ferrugineifrons*)
- Green-rumped Parrotlet (*Forpus passerinus*)
- Blue-winged Parrotlet (*Forpus xanthopterygius*)
- Spectacled Parrotlet (*Forpus conspicillatus*)
- Dusky-billed Parrotlet (*Forpus modestus*)
- White-winged Parakeet (*Brotogeris versicolurus*)
- Orange-chinned Parakeet (*Brotogeris jugularis*)
- Cobalt-winged Parakeet (*Brotogeris cyanopectera*)
- Tui Parakeet (*Brotogeris sanctithomae*)
- Lilac-tailed Parrotlet (*Touit batavicus*)
- Scarlet-shouldered Parrotlet (*Touit huetii*)

E

E

E

Parrots and Macaws (Psittacidae)

- Blue-fronted Parrotlet (*Touit dilectissimus*)
- Sapphire-rumped Parrotlet (*Touit purpuratus*)
- Spot-winged Parrotlet (*Touit stictopterus*)
- Black-headed Parrot (*Pionites melanocephalus*)
- Brown-hooded Parrot (*Pyrilia haematotis*)
- Rose-faced Parrot (*Pyrilia pulchra*)
- Orange-cheeked Parrot (*Pyrilia barrabandi*)
- Saffron-headed Parrot (*Pyrilia pyrilia*)
- Rusty-faced Parrot (*Hapalopsittaca amazonina*)
- Fuertes's Parrot (*Hapalopsittaca fuertesi*)
- Short-tailed Parrot (*Graydidascalus brachyurus*)
- Blue-headed Parrot (*Pionus menstruus*)
- Red-billed Parrot (*Pionus sordidus*)
- White-capped Parrot (*Pionus seniloides*)
- Bronze-winged Parrot (*Pionus chalcopterus*)
- Dusky Parrot (*Pionus fuscus*)
- Red-lored Amazon (*Amazona autumnalis*)
- Festive Amazon (*Amazona festiva*)
- Yellow-crowned Amazon (*Amazona ochrocephala*)
- Orange-winged Amazon (*Amazona amazonica*)
- Scaly-naped Amazon (*Amazona mercenaria*)
- Mealy Amazon (*Amazona farinosa*)
- Red-fan Parrot (*Deropteryx accipitrinus*)

Hoatzin (Opisthocomidae)

- Hoatzin (*Opisthocomus hoazin*)

Cuckoos (Cuculidae)

- Greater Ani (*Crotophaga major*)
- Smooth-billed Ani (*Crotophaga ani*)
- Groove-billed Ani (*Crotophaga sulcirostris*)
- Striped Cuckoo (*Tapera naevia*)
- Pheasant Cuckoo (*Dromococcyx phasianellus*)
- Pavonine Cuckoo (*Dromococcyx pavoninus*)
- Rufous-vented Ground Cuckoo (*Neomorphus geoffroyi*)
- Banded Ground Cuckoo (*Neomorphus radiolosus*)
- Rufous-winged Ground Cuckoo (*Neomorphus rufipennis*)
- Red-billed Ground Cuckoo (*Neomorphus pucheranii*)
- Little Cuckoo (*Coccyzua minuta*)
- Dwarf Cuckoo (*Coccyzua pumila*)
- Ash-colored Cuckoo (*Coccyzua cinerea*)
- Squirrel Cuckoo (*Piaya cayana*)
- Black-bellied Cuckoo (*Piaya melanogaster*)
- Dark-billed Cuckoo (*Coccyzus melacoryphus*)
- Yellow-billed Cuckoo (*Coccyzus americanus*)
- Pearly-breasted Cuckoo (*Coccyzus euleri*)
- Mangrove Cuckoo (*Coccyzus minor*)
- Black-billed Cuckoo (*Coccyzus erythrophthalmus*)
- Grey-capped Cuckoo (*Coccyzus lansbergi*)

Barn Owls (Tytonidae)

- Western Barn Owl (*Tyto alba*)

Owls (Strigidae)

- Tropical Screech Owl (*Megascops choliba*)
- Bare-shanked Screech Owl (*Megascops clarkii*)
- Rufescent Screech Owl (*Megascops ingens*)
- Colombian Screech Owl (*Megascops colombianus*)
- Cinnamon Screech Owl (*Megascops petersoni*)
- Tawny-bellied Screech Owl (*Megascops watsonii*)
- Vermiculated Screech Owl (*Megascops vermiculatus*)
- Choco Screech Owl (*Megascops centralis*)
- Napo Screech Owl (*Megascops napensis*)
- White-throated Screech Owl (*Megascops albogularis*)
- Great Horned Owl (*Bubo virginianus*)
- Mottled Owl (*Strix virgata*)
- Rufous-banded Owl (*Strix albitarsis*)
- Black-and-white Owl (*Strix nigrolineata*)
- Black-banded Owl (*Strix huhula*)
- Crested Owl (*Lophostrix cristata*)
- Spectacled Owl (*Pulsatrix perspicillata*)
- Band-bellied Owl (*Pulsatrix melanota*)
- Andean Pygmy Owl (*Glaucidium jardiinii*)
- Cloud-forest Pygmy Owl (*Glaucidium nubicola*)
- Central American Pygmy Owl (*Glaucidium griseiceps*)
- Subtropical Pygmy Owl (*Glaucidium parkeri*)
- Ferruginous Pygmy Owl (*Glaucidium brasilianum*)
- Burrowing Owl (*Athene cunicularia*)
- Buff-fronted Owl (*Aegolius harrisi*)
- Striped Owl (*Pseudoscops clamator*)
- Stygian Owl (*Asio stygius*)
- Short-eared Owl (*Asio flammeus*)

Oilbird (Steatornithidae)

- Oilbird (*Steatornis caripensis*)

Potoos (Nyctibiidae)

- Great Potoo (*Nyctibius grandis*)
- Long-tailed Potoo (*Nyctibius aethereus*)
- Common Potoo (*Nyctibius griseus*)
- Andean Potoo (*Nyctibius maculosus*)
- Rufous Potoo (*Nyctibius bracteatus*)

Nightjars (Caprimulgidae)

- Short-tailed Nighthawk (*Lurocalis semitorquatus*)
- Rufous-bellied Nighthawk (*Lurocalis rufiventris*)
- Nacunda Nighthawk (*Chordeiles nacunda*)
- Least Nighthawk (*Chordeiles pusillus*)
- Sand-colored Nighthawk (*Chordeiles rupestris*)
- Lesser Nighthawk (*Chordeiles acutipennis*)
- Common Nighthawk (*Chordeiles minor*)
- Antillean Nighthawk (*Chordeiles gundlachii*)

Nightjars (Caprimulgidae)

- Band-tailed Nighthawk (*Nyctiprogne leucopyga*)
- Pauraque (*Nyctidromus albicollis*)
- Ocellated Poorwill (*Nyctiphrynus ocellatus*)
- Choco Poorwill (*Nyctiphrynus rosenbergi*)
- Chuck-will's-widow (*Antrostomus carolinensis*)
- Rufous Nightjar (*Antrostomus rufus*)
- Band-winged Nightjar (*Caprimulgus longirostris*)
- White-tailed Nightjar (*Caprimulgus cayennensis*)
- Spot-tailed Nightjar (*Caprimulgus maculicaudus*)
- Todd's Nightjar (*Caprimulgus heterurus*)
- Blackish Nightjar (*Caprimulgus nigrescens*)
- Ladder-tailed Nightjar (*Hydrosalis climacocerca*)
- Swallow-tailed Nightjar (*Uropsalis segmentata*)
- Lyre-tailed Nightjar (*Uropsalis lyra*)

Swifts (Apodidae)

- Spot-fronted Swift (*Cypseloides cherriei*)
- White-chinned Swift (*Cypseloides cryptus*)
- American Black Swift (*Cypseloides niger*)
- White-chested Swift (*Cypseloides lemosi*)
- Chestnut-collared Swift (*Streptoprocne rutila*)
- White-collared Swift (*Streptoprocne zonaris*)
- Band-rumped Swift (*Chaetura spinicaudus*)
- Grey-rumped Swift (*Chaetura cinereiventris*)
- Sick's Swift (*Chaetura meridionalis*)
- Chimney Swift (*Chaetura pelagica*)
- Chapman's Swift (*Chaetura chapmani*)
- Mato Grosso Swift (*Chaetura viridipennis*)
- Short-tailed Swift (*Chaetura brachyura*)
- White-tipped Swift (*Aeronautes montivagus*)
- Pygmy Palm Swift (*Tachornis furcata*)
- Neotropical Palm Swift (*Tachornis squamata*)
- Lesser Swallow-tailed Swift (*Panyptila cayennensis*)

Hummingbirds (Trochilidae)

- White-tipped Sicklebill (*Eutoxeres aquila*)
- Buff-tailed Sicklebill (*Eutoxeres condamini*)
- Rufous-breasted Hermit (*Glaucis hirsutus*)
- Bronzy Hermit (*Glaucis aeneus*)
- Band-tailed Barbthroat (*Threnetes ruckeri*)
- Pale-tailed Barbthroat (*Threnetes leucurus*)
- White-whiskered Hermit (*Phaethornis yaruqui*)
- Green Hermit (*Phaethornis guy*)
- White-bearded Hermit (*Phaethornis hispidus*)
- Long-billed Hermit (*Phaethornis longirostris*)
- Great-billed Hermit (*Phaethornis malaris*)
- Tawny-bellied Hermit (*Phaethornis syrmatorphorus*)
- Straight-billed Hermit (*Phaethornis bourcieri*)
- Pale-bellied Hermit (*Phaethornis anthophilus*)
- Sooty-capped Hermit (*Phaethornis augusti*)

Hummingbirds (Trochilidae)

- Streak-throated Hermit (*Phaethornis rupurumii*)
- Reddish Hermit (*Phaethornis ruber*)
- Black-throated Hermit (*Phaethornis atrimentalis*)
- Stripe-throated Hermit (*Phaethornis striigularis*)
- Grey-chinned Hermit (*Phaethornis griseogularis*)
- Tooth-billed Hummingbird (*Androdon aequatorialis*)
- Green-fronted Lancebill (*Doryfera ludovicae*)
- Blue-fronted Lancebill (*Doryfera johannae*)
- Scaly-breasted Hummingbird (*Phaeochroa cuvierii*)
- Grey-breasted Sabrewing (*Campylopterus largipennis*)
- Lazuline Sabrewing (*Campylopterus falcatus*)
- Santa Marta Sabrewing (*Campylopterus phainopeplus*) E
- Napo Sabrewing (*Campylopterus villaviscensio*)
- White-necked Jacobin (*Florisuga mellivora*)
- Brown Violetear (*Colibri delphinae*)
- Green Violetear (*Colibri thalassinus*)
- Sparkling Violetear (*Colibri coruscans*)
- Green-breasted Mango (*Anthracothorax prevostii*)
- Black-throated Mango (*Anthracothorax nigricollis*)
- Fiery Topaz (*Topaza pyra*)
- Ruby-topaz Hummingbird (*Chrysolampis mosquitos*)
- Violet-headed Hummingbird (*Klais guimeti*)
- Rufous-crested Coquette (*Lophornis delattrei*)
- Spangled Coquette (*Lophornis stictolophus*)
- Festive Coquette (*Lophornis chalybeus*)
- Wire-crested Thorntail (*Discosura popelairii*)
- Black-bellied Thorntail (*Discosura langsdorffi*)
- Green Thorntail (*Discosura conversii*)
- Racket-tailed Coquette (*Discosura longicaudus*)
- Blue-chinned Sapphire (*Chlorestes notata*)
- Blue-tailed Emerald (*Chlorostilbon mellisugus*)
- Western Emerald (*Chlorostilbon melanorhynchus*)
- Red-billed Emerald (*Chlorostilbon gibsoni*)
- Chiribiquete Emerald (*Chlorostilbon olivaresi*) E
- Coppery Emerald (*Chlorostilbon russatus*)
- Narrow-tailed Emerald (*Chlorostilbon stenurus*)
- Short-tailed Emerald (*Chlorostilbon poortmani*)
- Pirre Hummingbird (*Goethalsia bella*)
- Violet-capped Hummingbird (*Goldmania violiceps*)
- Violet-crowned Woodnymph (*Thalurania colombica*)
- Green-crowned Woodnymph (*Thalurania fannyi*)
- Fork-tailed Woodnymph (*Thalurania furcata*)
- Violet-bellied Hummingbird (*Damophila julie*)
- Sapphire-throated Hummingbird (*Lepidopyga coeruleogularis*)
- Sapphire-bellied Hummingbird (*Lepidopyga lilliae*) E
- Shining-green Hummingbird (*Lepidopyga goudoti*)
- Blue-throated Sapphire (*Hylocharis eliciae*)
- Rufous-throated Sapphire (*Hylocharis sapphirina*)
- White-chinned Sapphire (*Hylocharis cyanus*)

Hummingbirds (Trochilidae)

- Blue-headed Sapphire (*Hylocharis grayi*)
- Humboldt's Sapphire (*Hylocharis humboldtii*)
- Golden-tailed Sapphire (*Chrysuronia oenone*)
- White-tailed Goldenthrout (*Polytmus guainumbi*)
- Green-tailed Goldenthrout (*Polytmus theresiae*)
- Buffy Hummingbird (*Leucippus fallax*)
- Olive-spotted Hummingbird (*Leucippus chlorocercus*)
- Many-spotted Hummingbird (*Taphrospilus hypostictus*)
- Rufous-tailed Hummingbird (*Amazilia tzacatl*)
- Chestnut-bellied Hummingbird (*Amazilia castaneiventris*) E
- Versicolored Emerald (*Amazilia versicolor*)
- Andean Emerald (*Amazilia franciae*)
- Glittering-throated Emerald (*Amazilia fimbriata*)
- Blue-chested Hummingbird (*Amazilia amabilis*)
- Purple-chested Hummingbird (*Amazilia rosenbergi*)
- Steely-vented Hummingbird (*Amazilia saucerrottei*)
- Indigo-capped Hummingbird (*Amazilia cyanifrons*) E
- Snowy-bellied Hummingbird (*Amazilia edward*)
- Green-bellied Hummingbird (*Amazilia viridigaster*)
- Blossomcrown (*Anthocephala floriceps*) E
- White-vented Plumeleteer (*Chalybura buffonii*)
- Bronze-tailed Plumeleteer (*Chalybura urochrysis*)
- Speckled Hummingbird (*Adelomyia melanogenys*)
- Ecuadorian Piedtail (*Phlogophilus hemileucurus*)
- Pink-throated Brilliant (*Heliodoxa gularis*)
- Black-throated Brilliant (*Heliodoxa schreibersii*)
- Gould's Jewelfront (*Heliodoxa aurescens*)
- Fawn-breasted Brilliant (*Heliodoxa rubinoides*)
- Green-crowned Brilliant (*Heliodoxa jacula*)
- Empress Brilliant (*Heliodoxa imperatrix*)
- Violet-fronted Brilliant (*Heliodoxa leadbeateri*)
- Violet-chested Hummingbird (*Sternoclyta cyanopectus*)
- White-tailed Hillstar (*Urochroa bougueri*)
- Buff-tailed Coronet (*Boissonneaua flavescens*)
- Chestnut-breasted Coronet (*Boissonneaua matthewsii*)
- Velvet-purple Coronet (*Boissonneaua jardini*)
- Shining Sunbeam (*Aglaeactis cupripennis*)
- Ecuadorian Hillstar (*Oreotrochilus chimborazo*)
- Mountain Velvetbreast (*Lafresnaya lafresnayi*)
- Bronzy Inca (*Coeligena coeligena*)
- Brown Inca (*Coeligena wilsoni*)
- Black Inca (*Coeligena prunellei*) E
- Collared Inca (*Coeligena torquata*)
- White-tailed Starfrontlet (*Coeligena phalerata*) E
- Golden-bellied Starfrontlet (*Coeligena bonapartei*)
- Dusky Starfrontlet (*Coeligena orina*)
- Blue-throated Starfrontlet (*Coeligena helianthea*)
- Buff-winged Starfrontlet (*Coeligena lutetiae*)
- Sword-billed Hummingbird (*Ensifera ensifera*)

Hummingbirds (Trochilidae)

- Great Sapphirewing (*Pterophanes cyanopterus*)
- Giant Hummingbird (*Patagona gigas*)
- Orange-throated Sunangel (*Heliangelus mavors*)
- Amethyst-throated Sunangel (*Heliangelus amethysticollis*)
- Gorgeted Sunangel (*Heliangelus strophanus*)
- Tourmaline Sunangel (*Heliangelus exortis*)
- Bogota Sunangel (*Heliangelus zusii*)
- Gorgeted Puffleg (*Eriocnemis isabellae*) E
- Glowing Puffleg (*Eriocnemis vestita*)
- Black-thighed Puffleg (*Eriocnemis derbyi*)
- Turquoise-throated Puffleg (*Eriocnemis godini*)
- Coppery-bellied Puffleg (*Eriocnemis cupreiventris*)
- Sapphire-vented Puffleg (*Eriocnemis luciani*)
- Golden-breasted Puffleg (*Eriocnemis mosquera*)
- Colorful Puffleg (*Eriocnemis mirabilis*) E
- Emerald-bellied Puffleg (*Eriocnemis aline*)
- Greenish Puffleg (*Haplophaedia aureliae*)
- Hoary Puffleg (*Haplophaedia lugens*)
- Purple-bibbed Whitetip (*Urostitte benjamini*)
- Rufous-vented Whitetip (*Urostitte ruficrissa*) E
- Booted Racket-tail (*Ocreatus underwoodii*)
- Black-tailed Trainbearer (*Lesbia victoriae*)
- Green-tailed Trainbearer (*Lesbia nuna*)
- Black-backed Thornbill (*Ramphomicron dorsale*) E
- Purple-backed Thornbill (*Ramphomicron microrhynchum*)
- Bearded Helmetcrest (*Oxypogon guerinii*)
- Tyrian Metaltail (*Metallura tyrianthina*)
- Perija Metaltail (*Metallura iracunda*)
- Viridian Metaltail (*Metallura williami*)
- Rufous-capped Thornbill (*Chalcostigma ruficeps*)
- Bronze-tailed Thornbill (*Chalcostigma heteropogon*)
- Rainbow-bearded Thornbill (*Chalcostigma herrani*)
- Mountain Avocetbill (*Opisthoprora euryptera*)
- Long-tailed Sylph (*Aglaiocercus kingii*)
- Violet-tailed Sylph (*Aglaiocercus coelestis*)
- Wedge-billed Hummingbird (*Schistes geoffroyi*)
- Purple-crowned Fairy (*Heliodyx barroti*)
- Black-eared Fairy (*Heliodyx auritus*)
- Long-billed Starthroat (*Heliomaster longirostris*)
- Blue-tufted Starthroat (*Heliomaster furcifer*)
- Amethyst Woodstar (*Calliphlox amethystina*)
- Purple-throated Woodstar (*Calliphlox mitchellii*)
- Ruby-throated Hummingbird (*Archilochus colubris*)
- White-bellied Woodstar (*Chaetocercus mulsant*)
- Little Woodstar (*Chaetocercus bombus*)
- Gorgeted Woodstar (*Chaetocercus heliodor*)
- Santa Marta Woodstar (*Chaetocercus astreans*) E
- Rufous-shafted Woodstar (*Chaetocercus jourdanii*)

Trogon and Quetzals (Trogonidae)

- Pavonine Quetzal (*Pharomachrus pavoninus*)
- Golden-headed Quetzal (*Pharomachrus auriceps*)
- White-tipped Quetzal (*Pharomachrus fulgidus*)
- Crested Quetzal (*Pharomachrus antisianus*)
- Slaty-tailed Trogon (*Trogon massena*)
- Choco Trogon (*Trogon comptus*)
- Black-tailed Trogon (*Trogon melanurus*)
- White-tailed Trogon (*Trogon chionurus*)
- Green-backed Trogon (*Trogon viridis*)
- Gartered Trogon (*Trogon caligatus*)
- Amazonian Trogon (*Trogon ramonianus*)
- Blue-crowned Trogon (*Trogon curucui*)
- Black-throated Trogon (*Trogon rufus*)
- Collared Trogon (*Trogon collaris*)
- Masked Trogon (*Trogon personatus*)

Kingfishers (Alcedinidae)

- American Pygmy Kingfisher (*Chloroceryle aenea*)
- Green-and-rufous Kingfisher (*Chloroceryle inda*)
- Green Kingfisher (*Chloroceryle americana*)
- Amazon Kingfisher (*Chloroceryle amazona*)
- Ringed Kingfisher (*Megaceryle torquata*)
- Belted Kingfisher (*Megaceryle alcyon*)

Motmots (Momotidae)

- Tody Motmot (*Hylomanes momotula*)
- Whooping Motmot (*Momotus subrufescens*)
- Amazonian Motmot (*Momotus momota*)
- Andean Motmot (*Momotus aequatorialis*)
- Rufous Motmot (*Baryphthengus martii*)
- Broad-billed Motmot (*Electron platyrhynchum*)

Jacamars (Galbulidae)

- White-eared Jacamar (*Galbalcyrhynchus leucotis*)
- Dusky-backed Jacamar (*Brachygalba salmoni*)
- Pale-headed Jacamar (*Brachygalba goeringi*)
- Brown Jacamar (*Brachygalba lugubris*)
- Yellow-billed Jacamar (*Galbula albirostris*)
- Rufous-tailed Jacamar (*Galbula ruficauda*)
- Green-tailed Jacamar (*Galbula galbula*)
- Coppery-chested Jacamar (*Galbula pastazae*)
- White-chinned Jacamar (*Galbula tombacea*)
- Bluish-fronted Jacamar (*Galbula cyanescens*)
- Purplish Jacamar (*Galbula chalcothorax*)
- Bronzy Jacamar (*Galbula leucogastra*)
- Paradise Jacamar (*Galbula dea*)
- Great Jacamar (*Jacamerops aureus*)

Puffbirds (Bucconidae)

- White-necked Puffbird (*Notharchus hyperrhynchus*)
- Black-breasted Puffbird (*Notharchus pectoralis*)

Puffbirds (Bucconidae)

- Brown-banded Puffbird (*Notharchus ordii*)
- Pied Puffbird (*Notharchus tectus*)
- Chestnut-capped Puffbird (*Bucco macrodactylus*)
- Spotted Puffbird (*Bucco tamatia*)
- Sooty-capped Puffbird (*Bucco noanamae*) E
- Collared Puffbird (*Bucco capensis*)
- Barred Puffbird (*Nystalus radiatus*)
- Russet-throated Puffbird (*Hypnelus ruficollis*)
- White-chested Puffbird (*Malacoptila fusca*)
- Black-streaked Puffbird (*Malacoptila fulvogularis*)
- White-whiskered Puffbird (*Malacoptila panamensis*)
- Moustached Puffbird (*Malacoptila mystacalis*)
- Lanceolated Monklet (*Micromonacha lanceolata*)
- Rusty-breasted Nunlet (*Nonnula rubecula*)
- Brown Nunlet (*Nonnula brunnea*)
- Grey-cheeked Nunlet (*Nonnula frontalis*)
- White-faced Nunbird (*Hapaloptila castanea*)
- Black Nunbird (*Monasa atra*)
- Black-fronted Nunbird (*Monasa nigrifrons*)
- White-fronted Nunbird (*Monasa morphoeus*)
- Yellow-billed Nunbird (*Monasa flavirostris*)
- Swallow-winged Puffbird (*Chelidoptera tenebrosa*)

New World Barbets (Capitonidae)

- Scarlet-crowned Barbet (*Capito aurovirens*)
- Spot-crowned Barbet (*Capito maculicoronatus*)
- Orange-fronted Barbet (*Capito squamatus*)
- White-mantled Barbet (*Capito hypoleucus*) E
- Gilded Barbet (*Capito auratus*)
- Five-colored Barbet (*Capito quinticolor*)
- Lemon-throated Barbet (*Eubucco richardsoni*)
- Red-headed Barbet (*Eubucco bourcierii*)

Prong-billed and Toucan Barbets (Semnornithidae)

- Toucan Barbet (*Semnornis ramphastinus*)

Toucans (Ramphastidae)

- Violet-throated Toucanet (*Aulacorhynchus cognatus*)
- Santa Marta Toucanet (*Aulacorhynchus lautus*) E
- Grey-throated Toucanet (*Aulacorhynchus griseigularis*) E
- White-throated Toucanet (*Aulacorhynchus albivitta*)
- Yellow-billed Toucanet (*Aulacorhynchus calorhynchus*)
- Chestnut-tipped Toucanet (*Aulacorhynchus derbianus*)
- Crimson-rumped Toucanet (*Aulacorhynchus haematopygus*)
- Lettered Aracari (*Pteroglossus inscriptus*)
- Ivory-billed Aracari (*Pteroglossus azara*)
- Black-necked Aracari (*Pteroglossus aracari*)
- Chestnut-eared Aracari (*Pteroglossus castanotis*)
- Many-banded Aracari (*Pteroglossus pluricinctus*)
- Collared Aracari (*Pteroglossus torquatus*)

Toucans (Ramphastidae)

- Stripe-billed Aracari (*Pteroglossus sanguineus*)
- Yellow-eared Toucanet (*Selenidera spectabilis*)
- Golden-collared Toucanet (*Selenidera reinwardtii*)
- Tawny-tufted Toucanet (*Selenidera nattereri*)
- Grey-breasted Mountain Toucan (*Andigena hypoglauca*)
- Plate-billed Mountain Toucan (*Andigena laminirostris*)
- Black-billed Mountain Toucan (*Andigena nigrirostris*)
- Channel-billed Toucan (*Ramphastos vitellinus*)
- Citron-throated Toucan (*Ramphastos citreolaemus*)
- Choco Toucan (*Ramphastos brevis*)
- Keel-billed Toucan (*Ramphastos sulfuratus*)
- White-throated Toucan (*Ramphastos tucanus*)
- Chestnut-mandibled Toucan (*Ramphastos swainsonii*)
- Black-mandibled Toucan (*Ramphastos ambiguus*)

Woodpeckers (Picidae)

- Bar-breasted Piculet (*Picumnus aurifrons*)
- Lafresnaye's Piculet (*Picumnus lafresnayi*)
- Orinoco Piculet (*Picumnus pumilus*)
- Golden-spangled Piculet (*Picumnus exilis*)
- Scaled Piculet (*Picumnus squamulatus*)
- Rufous-breasted Piculet (*Picumnus rufiventris*)
- Plain-breasted Piculet (*Picumnus castelneau*)
- Olivaceous Piculet (*Picumnus olivaceus*)
- Greyish Piculet (*Picumnus granadensis*)
- Chestnut Piculet (*Picumnus cinnamomeus*)
- Acorn Woodpecker (*Melanerpes formicivorus*)
- Yellow-tufted Woodpecker (*Melanerpes cruentatus*)
- Beautiful Woodpecker (*Melanerpes pulcher*)
- Black-cheeked Woodpecker (*Melanerpes pucherani*)
- Red-crowned Woodpecker (*Melanerpes rubricapillus*)
- Yellow-bellied Sapsucker (*Sphyrapicus varius*)
- Smoky-brown Woodpecker (*Picoides fumigatus*)
- Scarlet-backed Woodpecker (*Veniliornis callonotus*)
- Yellow-vented Woodpecker (*Veniliornis dignus*)
- Bar-bellied Woodpecker (*Veniliornis nigriceps*)
- Little Woodpecker (*Veniliornis passerinus*)
- Red-rumped Woodpecker (*Veniliornis kirkii*)
- Red-stained Woodpecker (*Veniliornis affinis*)
- Choco Woodpecker (*Veniliornis chocoensis*)
- White-throated Woodpecker (*Piculus leucolaemus*)
- Lita Woodpecker (*Piculus litae*)
- Yellow-throated Woodpecker (*Piculus flavigula*)
- Golden-green Woodpecker (*Piculus chrysochloros*)
- Golden-olive Woodpecker (*Colaptes rubiginosus*)
- Crimson-mantled Woodpecker (*Colaptes rivolii*)
- Spot-breasted Woodpecker (*Colaptes punctigula*)
- Cinnamon Woodpecker (*Celeus loricatus*)
- Scaly-breasted Woodpecker (*Celeus grammicus*)

Woodpeckers (Picidae)

- Chestnut Woodpecker (*Celeus elegans*)
- Cream-colored Woodpecker (*Celeus flavus*)
- Ringed Woodpecker (*Celeus torquatus*)
- Lineated Woodpecker (*Dryocopus lineatus*)
- Powerful Woodpecker (*Campephilus pollens*)
- Crimson-bellied Woodpecker (*Campephilus haematogaster*)
- Red-necked Woodpecker (*Campephilus rubricollis*)
- Crimson-crested Woodpecker (*Campephilus melanoleucos*)
- Guayaquil Woodpecker (*Campephilus gayaquilensis*)

Broadbills (Eurylaimidae)

- Sapayoa (*Sapayoa aenigma*)

Ovenbirds (Furnariidae)

- Chestnut-winged Cinclodes (*Cinclodes albidiventris*)
- Stout-billed Cinclodes (*Cinclodes excelsior*)
- Lesser Hornero (*Furnarius minor*)
- Caribbean Hornero (*Furnarius longirostris*)
- Bay Hornero (*Furnarius torridus*)
- Andean Tit-spinetail (*Leptasthenura andicola*)
- Perija Thistletail (*Asthenes perijana*)
- White-chinned Thistletail (*Asthenes fuliginosa*)
- Streak-backed Canastero (*Asthenes wyatti*)
- Many-striped Canastero (*Asthenes flammulata*)
- White-whiskered Spinetail (*Synallaxis candei*)
- Rufous Spinetail (*Synallaxis unirufa*)
- Rusty-headed Spinetail (*Synallaxis fuscorufa*)
- Stripe-breasted Spinetail (*Synallaxis cinnamomea*)
- Silvery-throated Spinetail (*Synallaxis subpudica*)
- Azara's Spinetail (*Synallaxis azarae*)
- Pale-breasted Spinetail (*Synallaxis albescens*)
- Rio Orinoco Spinetail (*Synallaxis beverlyae*)
- Dark-breasted Spinetail (*Synallaxis albigularis*)
- Ruddy Spinetail (*Synallaxis rutilans*)
- Chestnut-throated Spinetail (*Synallaxis cherriei*)
- Slaty Spinetail (*Synallaxis brachyura*)
- White-bellied Spinetail (*Synallaxis propinqua*)
- Dusky Spinetail (*Synallaxis moesta*)
- Plain-crowned Spinetail (*Synallaxis gujanensis*)
- White-browed Spinetail (*Hellmayrea gularis*)
- Rusty-backed Spinetail (*Cranioleuca vulpina*)
- Crested Spinetail (*Cranioleuca subcristata*)
- Red-faced Spinetail (*Cranioleuca erythroptis*)
- Streak-capped Spinetail (*Cranioleuca hellmayri*)
- Ash-browed Spinetail (*Cranioleuca curtata*)
- Speckled Spinetail (*Cranioleuca gutturata*)
- Yellow-chinned Spinetail (*Certhiaxis cinnamomeus*)
- Red-and-white Spinetail (*Certhiaxis mustelinus*)
- Plain Thornbird (*Phacellodomus inornatus*)
- Spectacled Prickletail (*Siptornis striaticollis*)

Ovenbirds (Furnariidae)

- Orange-fronted Plushcrown (*Metopothrix aurantiaca*)
- Double-banded Greytail (*Xenerpestes minlosi*)
- Rusty-winged Barbtail (*Premnornis guttuligera*)
- Spotted Barbtail (*Premnoplex brunnescens*)
- Star-chested Treerunner (*Margarornis stellatus*)
- Pearled Treerunner (*Margarornis squamiger*)
- Pacific Tuftedcheek (*Pseudocolaptes johnsoni*)
- Streaked Tuftedcheek (*Pseudocolaptes boissonneautii*)
- Point-tailed Palmcreeper (*Berlepschia rikeri*)
- Scaly-throated Foliage-gleaner (*Anabacerthia variegaticeps*)
- Montane Foliage-gleaner (*Anabacerthia striaticollis*)
- Lineated Foliage-gleaner (*Syndactyla subalaris*)
- Chestnut-winged Hookbill (*Ancistrops strigilatus*)
- Eastern Woodhaunter (*Hyloctistes subulatus*)
- Western Woodhaunter (*Hyloctistes virgatus*)
- Rufous-tailed Foliage-gleaner (*Philydor ruficaudatum*)
- Slaty-winged Foliage-gleaner (*Philydor fuscipenne*)
- Rufous-rumped Foliage-gleaner (*Philydor erythrocerum*)
- Chestnut-winged Foliage-gleaner (*Philydor erythropterus*)
- Buff-fronted Foliage-gleaner (*Philydor rufum*)
- Cinnamon-rumped Foliage-gleaner (*Philydor pyrrhodes*)
- Bamboo Foliage-gleaner (*Anabazenops dorsalis*)
- Uniform Treehunter (*Thripadectes ignobilis*)
- Black-billed Treehunter (*Thripadectes melanorhynchus*)
- Striped Treehunter (*Thripadectes holostictus*)
- Streak-capped Treehunter (*Thripadectes virgaticeps*)
- Flammulated Treehunter (*Thripadectes flammulatus*)
- Buff-throated Foliage-gleaner (*Automolus ochrolaemus*)
- Olive-backed Foliage-gleaner (*Automolus infuscatus*)
- Brown-rumped Foliage-gleaner (*Automolus melanopezus*)
- Ruddy Foliage-gleaner (*Automolus rubiginosus*)
- Chestnut-crowned Foliage-gleaner (*Automolus rufipileatus*)
- Santa Marta Foliage-gleaner (*Automolus rufipectus*)
- Tawny-throated Leaf-tosser (*Sclerurus mexicanus*)
- Short-billed Leaf-tosser (*Sclerurus rufularis*)
- Grey-throated Leaf-tosser (*Sclerurus albigularis*)
- Black-tailed Leaf-tosser (*Sclerurus caudacutus*)
- Scaly-throated Leaf-tosser (*Sclerurus guatemalensis*)
- Sharp-tailed Streamcreeper (*Lochmias nematura*)
- Rufous-tailed Xenops (*Microxenops milleri*)
- Slender-billed Xenops (*Xenops tenuirostris*)
- Plain Xenops (*Xenops minutus*)
- Streaked Xenops (*Xenops rutilans*)
- Tyrannine Woodcreeper (*Dendrocincla tyrannina*)
- Plain-brown Woodcreeper (*Dendrocincla fuliginosa*)
- White-chinned Woodcreeper (*Dendrocincla merula*)
- Ruddy Woodcreeper (*Dendrocincla homochroa*)
- Long-tailed Woodcreeper (*Deconychura longicauda*)
- Spot-throated Woodcreeper (*Deconychura stictolaema*)

Ovenbirds (Furnariidae)

- Olivaceous Woodcreeper (*Sittasomus griseicapillus*)
- Wedge-billed Woodcreeper (*Glyphorhynchus spirurus*)
- Long-billed Woodcreeper (*Nasica longirostris*)
- Cinnamon-throated Woodcreeper (*Dendrexetastes rufigula*)
- Bar-bellied Woodcreeper (*Hylexetastes stresemanni*)
- Strong-billed Woodcreeper (*Xiphocolaptes promeropirhynchus*)
- Northern Barred Woodcreeper (*Dendrocolaptes sanctithomae*)
- Amazonian Barred Woodcreeper (*Dendrocolaptes certhia*)
- Black-banded Woodcreeper (*Dendrocolaptes picumnus*)
- Straight-billed Woodcreeper (*Dendroplex picus*)
- Zimmer's Woodcreeper (*Dendroplex kienerii*)
- Striped Woodcreeper (*Xiphorhynchus obsoletus*)
- Ocellated Woodcreeper (*Xiphorhynchus ocellatus*)
- Tschudi's Woodcreeper (*Xiphorhynchus chunchotambo*)
- Elegant Woodcreeper (*Xiphorhynchus elegans*)
- Chestnut-rumped Woodcreeper (*Xiphorhynchus pardalotus*)
- Buff-throated Woodcreeper (*Xiphorhynchus guttatus*)
- Cocoa Woodcreeper (*Xiphorhynchus susurrans*)
- Black-striped Woodcreeper (*Xiphorhynchus lachrymosus*)
- Spotted Woodcreeper (*Xiphorhynchus erythropterygius*)
- Olive-backed Woodcreeper (*Xiphorhynchus triangularis*)
- Streak-headed Woodcreeper (*Lepidocolaptes souleyetii*)
- Montane Woodcreeper (*Lepidocolaptes lacrymiger*)
- Lineated Woodcreeper (*Lepidocolaptes albolineatus*)
- Greater Scythebill (*Drymotoxeres pucheranii*)
- Red-billed Scythebill (*Campylorhamphus trochilirostris*)
- Brown-billed Scythebill (*Campylorhamphus pusillus*)
- Curve-billed Scythebill (*Campylorhamphus procurvoides*)

Typical Antbirds (Thamnophilidae)

- Fasciated Antshrike (*Cymbilaimus lineatus*)
- Fulvous Antshrike (*Frederickena fulva*)
- Great Antshrike (*Taraba major*)
- Black-crested Antshrike (*Sakesphorus canadensis*)
- Black-backed Antshrike (*Thamnophilus melanonotus*)
- Barred Antshrike (*Thamnophilus doliatus*)
- Bar-crested Antshrike (*Thamnophilus multistriatus*)
- Lined Antshrike (*Thamnophilus tenuipunctatus*)
- Black Antshrike (*Thamnophilus nigriceps*)
- Blackish-grey Antshrike (*Thamnophilus nigrocinereus*)
- Castelnau's Antshrike (*Thamnophilus cryptoleucus*)
- White-shouldered Antshrike (*Thamnophilus aethiops*)
- Uniform Antshrike (*Thamnophilus unicolor*)
- Plain-winged Antshrike (*Thamnophilus schistaceus*)
- Mouse-colored Antshrike (*Thamnophilus murinus*)
- Western Slaty Antshrike (*Thamnophilus atrinucha*)
- Northern Slaty Antshrike (*Thamnophilus punctatus*)
- Amazonian Antshrike (*Thamnophilus amazonicus*)
- Pearly Antshrike (*Megastictus margaritatus*)

Typical Antbirds (Thamnophilidae)

- Black Bushbird (*Neotantes niger*)
- Recurve-billed Bushbird (*Clytoctantes alixii*)
- Speckled Antshrike (*Xenornis setifrons*)
- Russet Antshrike (*Thamnistes anabatinus*)
- Plain Antvireo (*Dysithamnus mentalis*)
- Spot-crowned Antvireo (*Dysithamnus puncticeps*)
- Bicolored Antvireo (*Dysithamnus occidentalis*)
- White-streaked Antvireo (*Dysithamnus leucostictus*)
- Dusky-throated Antshrike (*Thamnomanes ardesiacus*)
- Cinereous Antshrike (*Thamnomanes caesius*)
- Spot-winged Antshrike (*Pygiptila stellaris*)
- Checker-throated Antwren (*Epinecrophylla fulviventris*)
- Stipple-throated Antwren (*Epinecrophylla haematonota*)
- Foothill Antwren (*Epinecrophylla spodionota*)
- Ornate Antwren (*Epinecrophylla ornata*)
- Rufous-tailed Antwren (*Epinecrophylla erythrura*)
- Moustached Antwren (*Myrmotherula ignota*)
- Pygmy Antwren (*Myrmotherula brachyura*)
- Guianan Streaked Antwren (*Myrmotherula surinamensis*)
- Amazonian Streaked Antwren (*Myrmotherula multostriata*)
- Pacific Antwren (*Myrmotherula pacifica*)
- Cherrie's Antwren (*Myrmotherula cherriei*)
- Stripe-chested Antwren (*Myrmotherula longicauda*)
- Yellow-throated Antwren (*Myrmotherula ambigua*)
- Plain-throated Antwren (*Myrmotherula hauxwelli*)
- White-flanked Antwren (*Myrmotherula axillaris*)
- Slaty Antwren (*Myrmotherula schisticolor*)
- Rio Suno Antwren (*Myrmotherula sunensis*)
- Long-winged Antwren (*Myrmotherula longipennis*)
- Plain-winged Antwren (*Myrmotherula behni*)
- Grey Antwren (*Myrmotherula menetriesii*)
- Leaden Antwren (*Myrmotherula assimilis*)
- Banded Antbird (*Dichrozona cincta*)
- Dugand's Antwren (*Herpsilochmus dugandi*)
- Spot-backed Antwren (*Herpsilochmus dorsimaculatus*)
- Yellow-breasted Antwren (*Herpsilochmus axillaris*)
- Rufous-winged Antwren (*Herpsilochmus rufimarginatus*)
- Dot-winged Antwren (*Microrhopias quixensis*)
- Southern White-fringed Antwren (*Formicivora grisea*)
- Northern White-fringed Antwren (*Formicivora intermedia*)
- Striated Antbird (*Drymophila devillei*)
- Long-tailed Antbird (*Drymophila caudata*)
- Rufous-rumped Antwren (*Terenura callinota*)
- Chestnut-shouldered Antwren (*Terenura humeralis*)
- Ash-winged Antwren (*Terenura spodioptila*)
- Grey Antbird (*Cercomacra cinerascens*)
- Dusky Antbird (*Cercomacra tyrannina*)
- Parker's Antbird (*Cercomacra parkeri*)
- Blackish Antbird (*Cercomacra nigrescens*)

Typical Antbirds (Thamnophilidae)

- Black Antbird (*Cercomacra serva*)
- Jet Antbird (*Cercomacra nigricans*)
- White-backed Fire-eye (*Pyriglena leuconota*)
- White-browed Antbird (*Myrmoborus leucophrys*)
- Ash-breasted Antbird (*Myrmoborus lugubris*)
- Black-faced Antbird (*Myrmoborus myotherinus*)
- Imeri Warbling Antbird (*Hypocnemis flavescens*)
- Peruvian Warbling Antbird (*Hypocnemis peruviana*)
- Yellow-browed Antbird (*Hypocnemis hypoxantha*)
- Black-chinned Antbird (*Hypocnemoides melanopogon*)
- Black-and-white Antbird (*Myrmochanes hemileucus*)
- Bare-crowned Antbird (*Gymnocichla nudiceps*)
- Silvered Antbird (*Sclateria naevia*)
- Black-headed Antbird (*Percnostola rufifrons*)
- Slate-colored Antbird (*Schistocichla schistacea*)
- Spot-winged Antbird (*Schistocichla leucostigma*)
- Yapacana Antbird (*Myrmeciza disjuncta*)
- White-bellied Antbird (*Myrmeciza longipes*)
- Chestnut-backed Antbird (*Myrmeciza exsul*)
- Dull-mantled Antbird (*Myrmeciza laemosticta*)
- Esmeraldas Antbird (*Myrmeciza nigricauda*)
- Stub-tailed Antbird (*Myrmeciza berlepschi*)
- Grey-bellied Antbird (*Myrmeciza pelzelni*)
- Northern Chestnut-tailed Antbird (*Myrmeciza castanea*)
- Black-throated Antbird (*Myrmeciza atrothorax*)
- White-shouldered Antbird (*Myrmeciza melanoceps*)
- Plumbeous Antbird (*Myrmeciza hyperythra*)
- Sooty Antbird (*Myrmeciza fortis*)
- Immaculate Antbird (*Myrmeciza immaculata*)
- Wing-banded Antbird (*Myrmornis torquata*)
- White-plumed Antbird (*Pithys albifrons*)
- Bicolored Antbird (*Gymnopithys leucaspis*)
- Chestnut-crested Antbird (*Rhegmatorhina cristata*)
- Hairy-crested Antbird (*Rhegmatorhina melanosticta*)
- Spotted Antbird (*Hylophylax naevioides*)
- Spot-backed Antbird (*Hylophylax naevius*)
- Dot-backed Antbird (*Hylophylax punctulatus*)
- Scale-backed Antbird (*Willisornis poecilinotus*)
- Black-spotted Bare-eye (*Phlegopsis nigromaculata*)
- Reddish-winged Bare-eye (*Phlegopsis erythroptera*)
- Ocellated Antbird (*Phaenostictus mcleannani*)

Antthrushes (Formicariidae)

- Rufous-capped Antthrush (*Formicarius colma*)
- Black-faced Antthrush (*Formicarius analis*)
- Black-headed Antthrush (*Formicarius nigricapillus*)
- Rufous-breasted Antthrush (*Formicarius rufipectus*)
- Short-tailed Antthrush (*Chamaeza campanisona*)
- Striated Antthrush (*Chamaeza nobilis*)

E

Antthrushes (Formicariidae)

- Schwartz's Antthrush (*Chamaeza turdina*)
- Barred Antthrush (*Chamaeza mollissima*)

Antpittas (Grallariidae)

- Undulated Antpitta (*Grallaria squamigera*)
- Giant Antpitta (*Grallaria gigantea*)
- Great Antpitta (*Grallaria excelsa*)
- Moustached Antpitta (*Grallaria alleni*)
- Scaled Antpitta (*Grallaria guatemalensis*)
- Plain-backed Antpitta (*Grallaria haplonota*)
- Ochre-striped Antpitta (*Grallaria dignissima*)
- Chestnut-crowned Antpitta (*Grallaria ruficapilla*)
- Santa Marta Antpitta (*Grallaria bangsi*) E
- Cundinamarca Antpitta (*Grallaria kaestneri*) E
- Bicolored Antpitta (*Grallaria rufocinerea*)
- Chestnut-naped Antpitta (*Grallaria nuchalis*)
- Yellow-breasted Antpitta (*Grallaria flavotincta*)
- White-bellied Antpitta (*Grallaria hypoleuca*)
- Rufous Antpitta (*Grallaria rufula*)
- Tawny Antpitta (*Grallaria quitensis*)
- Brown-banded Antpitta (*Grallaria milleri*) E
- Streak-chested Antpitta (*Hylopezus perspicillatus*)
- Spotted Antpitta (*Hylopezus macularius*)
- Thicket Antpitta (*Hylopezus dives*)
- White-lored Antpitta (*Hylopezus fulviventris*)
- Thrush-like Antpitta (*Myrmothera campanisona*)
- Ochre-breasted Antpitta (*Grallaricula flavirostris*)
- Hooded Antpitta (*Grallaricula cucullata*)
- Rusty-breasted Antpitta (*Grallaricula ferrugineipectus*)
- Slaty-crowned Antpitta (*Grallaricula nana*)
- Crescent-faced Antpitta (*Grallaricula lineifrons*)

Gnateaters (Conopophagidae)

- Chestnut-belted Gnateater (*Conopophaga aurita*)
- Chestnut-crowned Gnateater (*Conopophaga castaneiceps*)
- Black-crowned Antpitta (*Pittasoma michleri*)
- Rufous-crowned Antpitta (*Pittasoma rufopileatum*)

Tapaculos (Rhinocryptidae)

- Ocellated Tapaculo (*Acropternis orthonyx*)
- Rusty-belted Tapaculo (*Liosceles thoracicus*)
- Ash-colored Tapaculo (*Myornis senilis*)
- Northern White-crowned Tapaculo (*Scytalopus atratus*)
- Santa Marta Tapaculo (*Scytalopus sanctaemartae*) E
- Long-tailed Tapaculo (*Scytalopus micropterus*)
- Narino Tapaculo (*Scytalopus vicini*)
- Choco Tapaculo (*Scytalopus chocoensis*)
- Upper Magdalena Tapaculo (*Scytalopus rodriguezi*) E
- Stiles's Tapaculo (*Scytalopus stilesi*) E
- Tacarcuna Tapaculo (*Scytalopus panamensis*)

Tapaculos (Rhinocryptidae)

- Brown-rumped Tapaculo (*Scytalopus latebricola*) E
- Spillmann's Tapaculo (*Scytalopus spillmanni*)
- Pale-bellied Tapaculo (*Scytalopus griseicollis*) E
- Paramillo Tapaculo (*Scytalopus canus*) E
- Paramo Tapaculo (*Scytalopus opacus*)
- Blackish Tapaculo (*Scytalopus latrans*)

Tyrant Flycatchers (Tyrannidae)

- Wing-barred Piprites (*Piprites chloris*)
- White-fronted Tyrannulet (*Phyllomyias zeledoni*)
- Sooty-headed Tyrannulet (*Phyllomyias griseiceps*)
- Plumbeous-crowned Tyrannulet (*Phyllomyias plumbeiceps*)
- Black-capped Tyrannulet (*Phyllomyias nigrocapillus*)
- Ashy-headed Tyrannulet (*Phyllomyias cinereiceps*)
- Tawny-rumped Tyrannulet (*Phyllomyias uropygialis*)
- Yellow-crowned Tyrannulet (*Tyrannulus elatus*)
- Forest Elaenia (*Myiopagis gaimardii*)
- Grey Elaenia (*Myiopagis caniceps*)
- Yellow-crowned Elaenia (*Myiopagis flavivertex*)
- Greenish Elaenia (*Myiopagis viridicata*)
- Yellow-bellied Elaenia (*Elaenia flavogaster*)
- Caribbean Elaenia (*Elaenia martinica*)
- Large Elaenia (*Elaenia spectabilis*)
- White-crested Elaenia (*Elaenia albiceps*)
- Small-billed Elaenia (*Elaenia parvirostris*)
- Slaty Elaenia (*Elaenia strepera*)
- Mottle-backed Elaenia (*Elaenia gigas*)
- Brownish Elaenia (*Elaenia pelzelni*)
- Plain-crested Elaenia (*Elaenia cristata*)
- Lesser Elaenia (*Elaenia chiriquensis*)
- Rufous-crowned Elaenia (*Elaenia ruficeps*)
- Mountain Elaenia (*Elaenia frantzii*)
- Sierran Elaenia (*Elaenia pallatangae*)
- Brown-capped Tyrannulet (*Ornithion brunneicapillus*)
- White-lored Tyrannulet (*Ornithion inerne*)
- Southern Beardless Tyrannulet (*Camptostoma obsoletum*)
- White-throated Tyrannulet (*Mecocerculus leucophrys*)
- White-tailed Tyrannulet (*Mecocerculus poecilocercus*)
- Sulphur-bellied Tyrannulet (*Mecocerculus minor*)
- White-banded Tyrannulet (*Mecocerculus stictopterus*)
- Tufted Tit-tyrant (*Anairetes parulus*)
- Agile Tit-tyrant (*Anairetes agilis*)
- Torrent Tyrannulet (*Serpophaga cinerea*)
- River Tyrannulet (*Serpophaga hypoleuca*)
- Mouse-colored Tyrannulet (*Phaeomyias murina*)
- Yellow Tyrannulet (*Capsiempis flaveola*)
- Bearded Tachuri (*Polystictus pectoralis*)
- Subtropical Doradito (*Pseudocolopteryx acutipennis*)
- Bronze-olive Pygmy Tyrant (*Pseudotriccus pelzelni*)

Tyrant Flycatchers (Tyrannidae)

- Rufous-headed Pygmy Tyrant (*Pseudotriccus ruficeps*)
- Ringed Antpiper (*Corythopis torquatus*)
- Tawny-crowned Pygmy Tyrant (*Euscarthmus meloryphus*)
- Lesser Wagtail-tyrant (*Stigmatura napensis*)
- Paltry Tyrannulet (*Zimmerius vilissimus*)
- Venezuelan Tyrannulet (*Zimmerius improbus*)
- Slender-footed Tyrannulet (*Zimmerius gracilipes*)
- Golden-faced Tyrannulet (*Zimmerius chrysops*)
- Choco Tyrannulet (*Zimmerius albigularis*)
- Variegated Bristle Tyrant (*Pogonotriccus poecilotis*)
- Marble-faced Bristle Tyrant (*Pogonotriccus ophthalmicus*)
- Spectacled Bristle Tyrant (*Pogonotriccus orbitalis*)
- Antioquia Bristle Tyrant (*Pogonotriccus lanyoni*)
- Panamanian Tyrannulet (*Phylloscartes flavovirens*)
- Ecuadorian Tyrannulet (*Phylloscartes gualaquiza*)
- Rufous-browed Tyrannulet (*Phylloscartes superciliaris*)
- Streak-necked Flycatcher (*Mionectes striaticollis*)
- Olive-striped Flycatcher (*Mionectes olivaceus*)
- Ochre-bellied Flycatcher (*Mionectes oleagineus*)
- Sepia-capped Flycatcher (*Leptopogon amaurocephalus*)
- Slaty-capped Flycatcher (*Leptopogon superciliaris*)
- Rufous-breasted Flycatcher (*Leptopogon rufipectus*)
- Northern Scrub Flycatcher (*Sublegatus arenarum*)
- Amazonian Scrub Flycatcher (*Sublegatus obscurior*)
- Southern Scrub Flycatcher (*Sublegatus modestus*)
- Slender-billed Inezia (*Inezia tenuirostris*)
- Amazonian Inezia (*Inezia subflava*)
- Pale-tipped Inezia (*Inezia caudata*)
- Flavescent Flycatcher (*Myiophobus flavicans*)
- Orange-crested Flycatcher (*Myiophobus phoenicomitra*)
- Roraiman Flycatcher (*Myiophobus roraimae*)
- Bran-colored Flycatcher (*Myiophobus fasciatus*)
- Handsome Flycatcher (*Nephelomyias pulcher*)
- Ornate Flycatcher (*Myiotriccus ornatus*)
- White-eyed Tody-tyrant (*Hemitriccus zosterops*)
- Johannes's Tody-tyrant (*Hemitriccus iohannis*)
- Stripe-necked Tody-tyrant (*Hemitriccus striaticollis*)
- Pearly-vented Tody-tyrant (*Hemitriccus margaritaceiventer*)
- Pelzel's Tody-tyrant (*Hemitriccus inornatus*)
- Black-throated Tody-tyrant (*Hemitriccus granadensis*)
- Black-capped Pygmy Tyrant (*Myiornis atricapillus*)
- Short-tailed Pygmy Tyrant (*Myiornis ecaudatus*)
- Northern Bentbill (*Oncostoma cinereigulare*)
- Southern Bentbill (*Oncostoma olivaceum*)
- Scale-crested Pygmy Tyrant (*Lophotriccus pileatus*)
- Double-banded Pygmy Tyrant (*Lophotriccus vitiosus*)
- Helmeted Pygmy Tyrant (*Lophotriccus galeatus*)
- Pale-eyed Pygmy Tyrant (*Atalotriccus pilaris*)
- Rufous-crowned Tody-flycatcher (*Poecilotriccus ruficeps*)

Tyrant Flycatchers (Tyrannidae)

- Black-and-white Tody-flycatcher (*Poecilotriccus capitalis*)
- Rusty-fronted Tody-flycatcher (*Poecilotriccus latirostris*)
- Slaty-headed Tody-flycatcher (*Poecilotriccus sylvia*)
- Golden-winged Tody-flycatcher (*Poecilotriccus calopterus*)
- Spotted Tody-flycatcher (*Todirostrum maculatum*)
- Common Tody-flycatcher (*Todirostrum cinereum*)
- Painted Tody-flycatcher (*Todirostrum pictum*)
- Yellow-browed Tody-flycatcher (*Todirostrum chrysocrotaphum*)
- Black-headed Tody-flycatcher (*Todirostrum nigriceps*)
- Brownish Twistwing (*Cnipodectes subbrunneus*)
- Eye-ringed Flatbill (*Rhynchocyclus brevirostris*)
- Olivaceous Flatbill (*Rhynchocyclus olivaceus*)
- Pacific Flatbill (*Rhynchocyclus pacificus*)
- Fulvous-breasted Flatbill (*Rhynchocyclus fulvipectus*)
- Yellow-olive Flatbill (*Tolmomyias sulphurescens*)
- Orange-eyed Flatbill (*Tolmomyias traylori*)
- Zimmer's Flatbill (*Tolmomyias assimilis*)
- Yellow-margined Flatbill (*Tolmomyias flavotectus*)
- Grey-crowned Flatbill (*Tolmomyias poliocephalus*)
- Ochre-ored Flatbill (*Tolmomyias flaviventris*)
- Olive-faced Flatbill (*Tolmomyias viridiceps*)
- Cinnamon-crested Spadebill (*Platyrinchus saturatus*)
- White-throated Spadebill (*Platyrinchus mystaceus*)
- Golden-crowned Spadebill (*Platyrinchus coronatus*)
- Yellow-throated Spadebill (*Platyrinchus flavigularis*)
- White-crested Spadebill (*Platyrinchus platyrhynchos*)
- Cinnamon Neopipo (*Neopipo cinnamomea*)
- Cinnamon Flycatcher (*Pyrrhomyias cinnamomeus*)
- Cliff Flycatcher (*Hirundinea ferruginea*)
- Euler's Flycatcher (*Lathrotriccus eulerei*)
- Black-billed Flycatcher (*Aphanotriccus audax*)
- Fuscous Flycatcher (*Cnemotriccus fuscatus*)
- Black Phoebe (*Sayornis nigricans*)
- Northern Tufted Flycatcher (*Mitrephanes phaeocercus*)
- Olive-sided Flycatcher (*Contopus cooperi*)
- Smoke-colored Pewee (*Contopus fumigatus*)
- Western Wood Pewee (*Contopus sordidulus*)
- Eastern Wood Pewee (*Contopus virens*)
- Tropical Pewee (*Contopus cinereus*)
- Blackish Pewee (*Contopus nigrescens*)
- Yellow-bellied Flycatcher (*Empidonax flaviventris*)
- Acadian Flycatcher (*Empidonax virescens*)
- Willow Flycatcher (*Empidonax traillii*)
- Alder Flycatcher (*Empidonax alnorum*)
- Least Flycatcher (*Empidonax minimus*)
- Vermilion Flycatcher (*Pyrocephalus rubinus*)
- Amazonian Black Tyrant (*Knipolegus poecilocercus*)
- Rufous-tailed Tyrant (*Knipolegus poecilurus*)
- Riverside Tyrant (*Knipolegus orenocensis*)

E

Tyrant Flycatchers (Tyrannidae)

- Drab Water Tyrant (*Ochthornis littoralis*)
- Yellow-browed Tyrant (*Satrapa icterophrys*)
- Little Ground Tyrant (*Muscisaxicola fluviatilis*)
- Spot-billed Ground Tyrant (*Muscisaxicola maculirostris*)
- White-browed Ground Tyrant (*Muscisaxicola albilora*)
- Paramo Ground Tyrant (*Muscisaxicola alpinus*)
- Black-billed Shrike-tyrant (*Agriornis montanus*)
- Streak-throated Bush Tyrant (*Myiotheretes striaticollis*)
- Santa Marta Bush Tyrant (*Myiotheretes pernix*)
- Smoky Bush Tyrant (*Myiotheretes fumigatus*)
- Red-rumped Bush Tyrant (*Cnemarchus erythropygius*)
- Pied Water Tyrant (*Fluvicola pica*)
- White-headed Marsh Tyrant (*Arundinicola leucocephala*)
- Crowned Chat-tyrant (*Silvicoltrix frontalis*)
- Yellow-bellied Chat-tyrant (*Silvicoltrix diadema*)
- Slaty-backed Chat-tyrant (*Ochthoeca cinnamomeiventris*)
- Rufous-breasted Chat-tyrant (*Ochthoeca rufipectoralis*)
- Brown-backed Chat-tyrant (*Ochthoeca fumicolor*)
- Long-tailed Tyrant (*Colonia colonus*)
- Short-tailed Field Tyrant (*Muscigralla brevicauda*)
- Cattle Tyrant (*Machetornis rixosa*)
- Piratic Flycatcher (*Legatus leucophaeus*)
- White-bearded Flycatcher (*Phelpsia inornata*)
- Rusty-margined Flycatcher (*Myiozetetes cayanensis*)
- Social Flycatcher (*Myiozetetes similis*)
- Grey-capped Flycatcher (*Myiozetetes granadensis*)
- Dusky-chested Flycatcher (*Myiozetetes luteiventris*)
- Great Kiskadee (*Pitangus sulphuratus*)
- Lesser Kiskadee (*Philohydor lictor*)
- White-ringed Flycatcher (*Conopias albivittatus*)
- Yellow-throated Flycatcher (*Conopias parvus*)
- Lemon-browed Flycatcher (*Conopias cinchoneti*)
- Golden-crowned Flycatcher (*Myiodynastes chrysocephalus*)
- Sulphur-bellied Flycatcher (*Myiodynastes luteiventris*)
- Streaked Flycatcher (*Myiodynastes maculatus*)
- Boat-billed Flycatcher (*Megarynchus pitangua*)
- Sulphury Flycatcher (*Tyrannopsis sulphurea*)
- Variegated Flycatcher (*Empidonomus varius*)
- Crowned Slaty Flycatcher (*Griseotyrannus aurantioatrocristatus*)
- Snowy-throated Kingbird (*Tyrannus niveigularis*)
- White-throated Kingbird (*Tyrannus albogularis*)
- Tropical Kingbird (*Tyrannus melancholicus*)
- Scissor-tailed Flycatcher (*Tyrannus forficatus*)
- Fork-tailed Flycatcher (*Tyrannus savana*)
- Eastern Kingbird (*Tyrannus tyrannus*)
- Grey Kingbird (*Tyrannus dominicensis*)
- Greyish Mourner (*Rhytipterna simplex*)
- Pale-bellied Mourner (*Rhytipterna immunda*)
- Rufous Mourner (*Rhytipterna holerythra*)

Tyrant Flycatchers (Tyrannidae)

- Eastern Sirystes (*Sirystes sibilator*)
- Western Sirystes (*Sirystes albogriseus*)
- Dusky-capped Flycatcher (*Myiarchus tuberculifer*)
- Swainson's Flycatcher (*Myiarchus swainsoni*)
- Venezuelan Flycatcher (*Myiarchus venezuelensis*)
- Panamanian Flycatcher (*Myiarchus panamensis*)
- Short-crested Flycatcher (*Myiarchus ferox*)
- Apical Flycatcher (*Myiarchus apicalis*)
- Pale-edged Flycatcher (*Myiarchus cephalotes*)
- Great Crested Flycatcher (*Myiarchus crinitus*)
- Brown-crested Flycatcher (*Myiarchus tyrannulus*)
- Large-headed Flatbill (*Ramphotrigon megalcephalum*)
- Rufous-tailed Flatbill (*Ramphotrigon ruficauda*)
- Dusky-tailed Flatbill (*Ramphotrigon fuscicauda*)
- Cinnamon Attila (*Attila cinnamomeus*)
- Ochraceous Attila (*Attila torridus*)
- Citron-bellied Attila (*Attila citriniventris*)
- White-eyed Attila (*Attila bolivianus*)
- Bright-rumped Attila (*Attila spadiceus*)

Cotingas (Cotingidae)

- Red-crested Cotinga (*Ampelion rubrocristatus*)
- Chestnut-crested Cotinga (*Ampelion rufaxilla*)
- Chestnut-bellied Cotinga (*Doliornis remseni*)
- Green-and-black Fruiteater (*Pipreola riefferii*)
- Barred Fruiteater (*Pipreola arcuata*)
- Golden-breasted Fruiteater (*Pipreola aureopectus*)
- Orange-breasted Fruiteater (*Pipreola jucunda*)
- Black-chested Fruiteater (*Pipreola lubomirskii*)
- Fiery-throated Fruiteater (*Pipreola chlorolepidota*)
- Scaled Fruiteater (*Ampelioides tshudii*)
- Guianan Cock-of-the-rock (*Rupicola rupicola*)
- Andean Cock-of-the-rock (*Rupicola peruvianus*)
- Black-necked Red Cotinga (*Phoenicircus nigricollis*)
- Blue Cotinga (*Cotinga nattererii*)
- Plum-throated Cotinga (*Cotinga maynana*)
- Purple-breasted Cotinga (*Cotinga cotinga*)
- Spangled Cotinga (*Cotinga cayana*)
- Bearded Bellbird (*Procnias averano*)
- Chestnut-capped Piha (*Lipaugus weberi*)
- Dusky Piha (*Lipaugus fuscocinereus*)
- Rufous Piha (*Lipaugus unirufus*)
- Screaming Piha (*Lipaugus vociferans*)
- Grey-tailed Piha (*Snowornis subalaris*)
- Olivaceous Piha (*Snowornis cryptolophus*)
- Purple-throated Cotinga (*Porphyrolaema porphyrolaema*)
- Pompadour Cotinga (*Xipholena punicea*)
- Black-tipped Cotinga (*Carpodectes hopkei*)
- Bare-necked Fruitcrow (*Gymnoderus foetidus*)

Cotingas (Cotingidae)

- Purple-throated Fruitcrow (*Querula purpurata*)
- Red-ruffed Fruitcrow (*Pyroderus scutatus*)
- Capuchinbird (*Perissocephalus tricolor*)
- Amazonian Umbrellabird (*Cephalopterus ornatus*)
- Long-wattled Umbrellabird (*Cephalopterus penduliger*)

Manakins (Pipridae)

- Saffron-crested Tyrant-manakin (*Neopelma chrysocephalum*)
- Dwarf Tyrant-manakin (*Tyrannetes stolzmanni*)
- Golden-winged Manakin (*Masius chrysopterus*)
- White-ruffed Manakin (*Corapipo altera*)
- White-bibbed Manakin (*Corapipo leucorrhoa*)
- Club-winged Manakin (*Machaeropterus deliciosus*)
- Western Striped Manakin (*Machaeropterus striolatus*)
- Blue-crowned Manakin (*Lepidothrix coronata*)
- Blue-rumped Manakin (*Lepidothrix isidorei*)
- White-bearded Manakin (*Manacus manacus*)
- Golden-collared Manakin (*Manacus vitellinus*)
- Lance-tailed Manakin (*Chiroxiphia lanceolata*)
- Blue-backed Manakin (*Chiroxiphia pareola*)
- Green Manakin (*Xenopipo holochlora*)
- Yellow-headed Manakin (*Xenopipo flavicapilla*)
- Black Manakin (*Xenopipo atronitens*)
- Yellow-crested Manakin (*Heterocercus flavivertex*)
- Wire-tailed Manakin (*Pipra filicauda*)
- White-crowned Manakin (*Dixiphia pipra*)
- Red-capped Manakin (*Dixiphia mentalis*)
- Golden-headed Manakin (*Dixiphia erythrocephala*)

Tityras (Tityridae)

- Sharpbill (*Oxyruncus cristatus*)
- Amazonian Royal Flycatcher (*Onychorhynchus coronatus*)
- Northern Royal Flycatcher (*Onychorhynchus mexicanus*)
- Tawny-breasted Myiobius (*Myiobius villosus*)
- Sulphur-rumped Myiobius (*Myiobius sulphureipygius*)
- Whiskered Myiobius (*Myiobius barbatus*)
- Black-tailed Myiobius (*Myiobius atricaudus*)
- Ruddy-tailed Flycatcher (*Terentrioccus erythrurus*)
- Black-crowned Tityra (*Tityra inquisitor*)
- Black-tailed Tityra (*Tityra cayana*)
- Masked Tityra (*Tityra semifasciata*)
- Varzea Schiffornis (*Schiffornis major*)
- Thrush-like Schiffornis (*Schiffornis turdina*)
- Speckled Mourner (*Laniocera rufescens*)
- Cinereous Mourner (*Laniocera hypopyrra*)
- White-browed Purpletuff (*Iodopleura isabellae*)
- Andean Laniisoma (*Laniisoma buckleyi*)
- White-naped Xenopsaris (*Xenopsaris albinucha*)
- Yellow-cheeked Becard (*Pachyramphus xanthogenys*)

Tityras (Tityridae)

- Barred Becard (*Pachyramphus versicolor*)
- Cinereous Becard (*Pachyramphus rufus*)
- Chestnut-crowned Becard (*Pachyramphus castaneus*)
- Cinnamon Becard (*Pachyramphus cinnamomeus*)
- White-winged Becard (*Pachyramphus polychopterus*)
- Black-capped Becard (*Pachyramphus marginatus*)
- Black-and-white Becard (*Pachyramphus albogriseus*)
- One-colored Becard (*Pachyramphus homochrous*)
- Pink-throated Becard (*Pachyramphus minor*)

Vireos (Vireonidae)

- Rufous-browed Peppershrike (*Cyclarhis gujanensis*)
- Black-billed Peppershrike (*Cyclarhis nigrirostris*)
- Yellow-browed Shrike-vireo (*Vireolanius eximius*)
- Slaty-capped Shrike-vireo (*Vireolanius leucotis*)
- White-eyed Vireo (*Vireo griseus*)
- Thick-billed Vireo (*Vireo crassirostris*)
- Mangrove Vireo (*Vireo pallens*)
- Providencia Vireo (*Vireo approximans*)
- San Andres Vireo (*Vireo caribaeus*)
- Yellow-throated Vireo (*Vireo flavifrons*)
- Choco Vireo (*Vireo masteri*)
- Brown-capped Vireo (*Vireo leucophrys*)
- Philadelphia Vireo (*Vireo philadelphicus*)
- Red-eyed Vireo (*Vireo olivaceus*)
- Yellow-green Vireo (*Vireo flavoviridis*)
- Black-whiskered Vireo (*Vireo altiloquus*)
- Lemon-chested Greenlet (*Hylophilus thoracicus*)
- Grey-chested Greenlet (*Hylophilus semicinereus*)
- Brown-headed Greenlet (*Hylophilus brunneiceps*)
- Rufous-naped Greenlet (*Hylophilus semibrunneus*)
- Golden-fronted Greenlet (*Hylophilus aurantiifrons*)
- Dusky-capped Greenlet (*Hylophilus hypoxanthus*)
- Scrub Greenlet (*Hylophilus flavipes*)
- Tawny-crowned Greenlet (*Hylophilus ochraceiceps*)
- Lesser Greenlet (*Hylophilus decurtatus*)

E

E

Crows and Jays (Corvidae)

- Black-collared Jay (*Cyanolyca armillata*)
- Turquoise Jay (*Cyanolyca turcosa*)
- Beautiful Jay (*Cyanolyca pulchra*)
- Violaceous Jay (*Cyanocorax violaceus*)
- Black-chested Jay (*Cyanocorax affinis*)
- Azure-naped Jay (*Cyanocorax heilprini*)
- Inca Jay (*Cyanocorax yncas*)

Waxwings (Bombycillidae)

- Cedar Waxwing (*Bombycilla cedrorum*)

Larks (Alaudidae)

- Horned Lark (*Eremophila alpestris*)

Swallows and Martins (Hirundinidae)

- Sand Martin (*Riparia riparia*)
- Tree Swallow (*Tachycineta bicolor*)
- Mangrove Swallow (*Tachycineta albilinea*)
- White-winged Swallow (*Tachycineta albiventer*)
- Violet-green Swallow (*Tachycineta thalassina*)
- Bahama Swallow (*Tachycineta cyaneoviridis*)
- Purple Martin (*Progne subis*)
- Caribbean Martin (*Progne dominicensis*)
- Grey-breasted Martin (*Progne chalybea*)
- Southern Martin (*Progne elegans*)
- Brown-chested Martin (*Progne tapera*)
- Blue-and-white Swallow (*Notiochelidon cyanoleuca*)
- Brown-bellied Swallow (*Notiochelidon murina*)
- Pale-footed Swallow (*Notiochelidon flavipes*)
- White-banded Swallow (*Atticora fasciata*)
- Black-collared Swallow (*Atticora melanoleuca*)
- White-thighed Swallow (*Neochelidon tibialis*)
- Northern Rough-winged Swallow (*Stelgidopteryx serripennis*)
- Southern Rough-winged Swallow (*Stelgidopteryx ruficollis*)
- Tawny-headed Swallow (*Alopochelidon fucata*)
- Barn Swallow (*Hirundo rustica*)
- American Cliff Swallow (*Petrochelidon pyrrhonota*)

Donacobius (Donacobiidae)

- Black-capped Donacobius (*Donacobius atricapilla*)

Wrens (Troglodytidae)

- White-headed Wren (*Campylorhynchus albobrunneus*)
- Band-backed Wren (*Campylorhynchus zonatus*)
- Stripe-backed Wren (*Campylorhynchus nuchalis*)
- Bicolored Wren (*Campylorhynchus griseus*)
- Thrush-like Wren (*Campylorhynchus turdinus*)
- Grey-mantled Wren (*Odontorchilus branickii*)
- Rufous Wren (*Cinnycerthia unirufa*)
- Sepia-brown Wren (*Cinnycerthia olivascens*)
- Peruvian Wren (*Cinnycerthia peruana*)
- Sedge Wren (*Cistothorus platensis*)
- Apolinar's Wren (*Cistothorus apolinari*)
- Sooty-headed Wren (*Pheugopedius spadix*)
- Black-bellied Wren (*Pheugopedius fasciatoventris*)
- Plain-tailed Wren (*Pheugopedius euophrys*)
- Whiskered Wren (*Pheugopedius mystacalis*)
- Coraya Wren (*Pheugopedius coraya*)
- Rufous-breasted Wren (*Pheugopedius rutilus*)
- Speckle-breasted Wren (*Pheugopedius sclateri*)
- Rufous-and-white Wren (*Thryophilus rufalbus*)
- Niceforo's Wren (*Thryophilus nicefori*)
- Buff-breasted Wren (*Cantorchilus leucotis*)
- Bay Wren (*Cantorchilus nigricapillus*)
- Stripe-throated Wren (*Cantorchilus leucopogon*)

Wrens (Troglodytidae)

- House Wren (*Troglodytes aedon*)
- Ochraceous Wren (*Troglodytes ochraceus*)
- Mountain Wren (*Troglodytes solstitialis*)
- Santa Marta Wren (*Troglodytes monticola*)
- White-breasted Wood Wren (*Henicorhina leucosticta*)
- Grey-breasted Wood Wren (*Henicorhina leucophrys*)
- Munchique Wood Wren (*Henicorhina negreti*)
- Southern Nightingale-wren (*Microcerculus marginatus*)
- Wing-banded Wren (*Microcerculus bambla*)
- Chestnut-breasted Wren (*Cyphorhinus thoracicus*)
- Musician Wren (*Cyphorhinus arada*)
- Song Wren (*Cyphorhinus phaeocephalus*)

Gnatcatchers (Poliopitilidae)

- Collared Gnatwren (*Microbates collaris*)
- Tawny-faced Gnatwren (*Microbates cinereiventris*)
- Long-billed Gnatwren (*Ramphocaenus melanurus*)
- Tropical Gnatcatcher (*Poliopitila plumbea*)
- Rio Negro Gnatcatcher (*Poliopitila facilis*)
- Slate-throated Gnatcatcher (*Poliopitila schistaceigula*)

Mockingbirds and Thrashers (Mimidae)

- Grey Catbird (*Dumetella carolinensis*)
- Tropical Mockingbird (*Mimus gilvus*)

Thrushes (Turdidae)

- Varied Solitaire (*Myadestes coloratus*)
- Andean Solitaire (*Myadestes ralloides*)
- Rufous-brown Solitaire (*Cichlopsis leucogenys*)
- Orange-billed Nightingale-thrush (*Catharus aurantirostris*)
- Slaty-backed Nightingale-thrush (*Catharus fuscater*)
- Spotted Nightingale-thrush (*Catharus dryas*)
- Veery (*Catharus fuscescens*)
- Grey-cheeked Thrush (*Catharus minimus*)
- Swainson's Thrush (*Catharus ustulatus*)
- Wood Thrush (*Hylocichla mustelina*)
- Black Solitaire (*Entomodestes coracinus*)
- Yellow-legged Thrush (*Turdus flavipes*)
- Pale-eyed Thrush (*Turdus leucops*)
- Great Thrush (*Turdus fuscater*)
- Glossy-black Thrush (*Turdus serranus*)
- Black-hooded Thrush (*Turdus olivater*)
- Chestnut-bellied Thrush (*Turdus fulviventris*)
- Pale-breasted Thrush (*Turdus leucomelas*)
- Black-billed Thrush (*Turdus ignobilis*)
- Lawrence's Thrush (*Turdus lawrencii*)
- Cocoa Thrush (*Turdus fumigatus*)
- Pale-vented Thrush (*Turdus obsoletus*)
- Hauxwell's Thrush (*Turdus hauxwelli*)
- Clay-colored Thrush (*Turdus grayi*)

Thrushes (Turdidae)

- Spectacled Thrush (*Turdus nudigenis*)
- Dagua Thrush (*Turdus daguae*)
- White-necked Thrush (*Turdus albicollis*)

Dippers (Cinclidae)

- White-capped Dipper (*Cinclus leucocephalus*)

Old World Sparrows and Snowfinches (Passeridae)

- House Sparrow (*Passer domesticus*)

Waxbills, Munias and Allies (Estrildidae)

- Tricolored Munia (*Lonchura malacca*)
- Java Sparrow (*Lonchura oryzivora*)

Pipits and Wagtails (Motacillidae)

- Buff-bellied Pipit (*Anthus rubescens*)
- Yellowish Pipit (*Anthus lutescens*)
- Paramo Pipit (*Anthus bogotensis*)

Finches, Siskins and Crossbills (Fringillidae)

- Plumbeous Euphonia (*Euphonia plumbea*)
- Purple-throated Euphonia (*Euphonia chlorotica*)
- Trinidad Euphonia (*Euphonia trinitatis*)
- Velvet-fronted Euphonia (*Euphonia concinna*)
- Orange-crowned Euphonia (*Euphonia saturata*)
- Thick-billed Euphonia (*Euphonia laniirostris*)
- Golden-rumped Euphonia (*Euphonia cyanocephala*)
- Fulvous-vented Euphonia (*Euphonia fulvicrissa*)
- White-lored Euphonia (*Euphonia chrysopasta*)
- Bronze-green Euphonia (*Euphonia mesochrysa*)
- White-vented Euphonia (*Euphonia minuta*)
- Tawny-capped Euphonia (*Euphonia anaeae*)
- Orange-bellied Euphonia (*Euphonia xanthogaster*)
- Rufous-bellied Euphonia (*Euphonia rufiventris*)
- Yellow-collared Chlorophonia (*Chlorophonia flavirostris*)
- Blue-naped Chlorophonia (*Chlorophonia cyanea*)
- Chestnut-breasted Chlorophonia (*Chlorophonia pyrrhophrys*)
- Andean Siskin (*Carduelis spinescens*)
- Red Siskin (*Carduelis cucullata*)
- Hooded Siskin (*Carduelis magellanica*)
- Yellow-bellied Siskin (*Carduelis xanthogastra*)
- Lesser Goldfinch (*Carduelis psaltria*)

New World Warblers (Parulidae)

- Golden-winged Warbler (*Vermivora chrysoptera*)
- Blue-winged Warbler (*Vermivora cyanoptera*)
- Tennessee Warbler (*Oreothlypis peregrina*)
- Nashville Warbler (*Oreothlypis ruficapilla*)
- Northern Parula (*Parula americana*)
- Tropical Parula (*Parula pitiayumi*)
- Chestnut-sided Warbler (*Dendroica pensylvanica*)

New World Warblers (Parulidae)

- American Yellow Warbler (*Dendroica aestiva*)
- Mangrove Warbler (*Dendroica petechia*)
- Blackpoll Warbler (*Dendroica striata*)
- Bay-breasted Warbler (*Dendroica castanea*)
- Blackburnian Warbler (*Dendroica fusca*)
- Magnolia Warbler (*Dendroica magnolia*)
- Cerulean Warbler (*Dendroica cerulea*)
- Cape May Warbler (*Dendroica tigrina*)
- Black-throated Blue Warbler (*Dendroica caerulescens*)
- Myrtle Warbler (*Dendroica coronata*)
- Black-throated Green Warbler (*Dendroica virens*)
- Townsend's Warbler (*Dendroica townsendi*)
- Yellow-throated Warbler (*Dendroica dominica*)
- Prairie Warbler (*Dendroica discolor*)
- Pine Warbler (*Dendroica pinus*)
- Palm Warbler (*Dendroica palmarum*)
- Black-and-white Warbler (*Mniotilta varia*)
- American Redstart (*Setophaga ruticilla*)
- Prothonotary Warbler (*Protonotaria citrea*)
- Worm-eating Warbler (*Helmitheros vermivorum*)
- Swainson's Warbler (*Limnothlypis swainsonii*)
- Ovenbird (*Seiurus aurocapilla*)
- Northern Waterthrush (*Parkesia noveboracensis*)
- Louisiana Waterthrush (*Parkesia motacilla*)
- Kentucky Warbler (*Oporornis formosus*)
- Connecticut Warbler (*Oporornis agilis*)
- Mourning Warbler (*Oporornis philadelphia*)
- Common Yellowthroat (*Geothlypis trichas*)
- Olive-crowned Yellowthroat (*Geothlypis semiflava*)
- Masked Yellowthroat (*Geothlypis aequinoctialis*)
- Hooded Warbler (*Wilsonia citrina*)
- Wilson's Warbler (*Wilsonia pusilla*)
- Canada Warbler (*Wilsonia canadensis*)
- Slate-throated Whitestart (*Myioborus miniatus*)
- Golden-fronted Whitestart (*Myioborus ornatus*)
- Spectacled Whitestart (*Myioborus melanocephalus*)
- Yellow-crowned Whitestart (*Myioborus flavivertex*)
- Choco Warbler (*Basileuterus chlorophrys*)
- Flavescent Warbler (*Basileuterus flaveolus*)
- Citrine Warbler (*Basileuterus luteoviridis*)
- Black-crested Warbler (*Basileuterus nigrocristatus*)
- Santa Marta Warbler (*Basileuterus basilicus*)
- Grey-throated Warbler (*Basileuterus cinereicollis*)
- White-lored Warbler (*Basileuterus conspicillatus*)
- Russet-crowned Warbler (*Basileuterus coronatus*)
- Golden-crowned Warbler (*Basileuterus culicivorus*)
- Rufous-capped Warbler (*Basileuterus rufifrons*)
- Pirre Warbler (*Basileuterus ignotus*)
- Three-striped Warbler (*Basileuterus tristriatus*)

New World Warblers (Parulidae)

- Buff-rumped Warbler (*Phaeothlypis fulvicauda*)

Oropendolas, Orioles and New World Blackbirds (Icteridae)

- Casqued Oropendola (*Clypicerus oseryi*)
- Chestnut-headed Oropendola (*Psarocolius wagleri*)
- Crested Oropendola (*Psarocolius decumanus*)
- Green Oropendola (*Psarocolius viridis*)
- Russet-backed Oropendola (*Psarocolius angustifrons*)
- Baudo Oropendola (*Psarocolius cassini*) E
- Olive Oropendola (*Psarocolius bifasciatus*)
- Black Oropendola (*Psarocolius guatimozinus*)
- Band-tailed Oropendola (*Ocyalus latirostris*)
- Yellow-rumped Cacique (*Cacicus cela*)
- Red-rumped Cacique (*Cacicus haemorrhous*)
- Subtropical Cacique (*Cacicus uropygialis*)
- Scarlet-rumped Cacique (*Cacicus microrhynchus*)
- Northern Mountain Cacique (*Cacicus leucoramphus*)
- Ecuadorian Cacique (*Cacicus sclateri*)
- Solitary Cacique (*Cacicus solitarius*)
- Yellow-billed Cacique (*Amblycercus holosericeus*)
- Venezuelan Troupial (*Icterus icterus*)
- Orange-backed Troupial (*Icterus croconotus*)
- Yellow-tailed Oriole (*Icterus mesomelas*)
- Epaulet Oriole (*Icterus cayanensis*)
- Orchard Oriole (*Icterus spurius*)
- Orange-crowned Oriole (*Icterus auricapillus*)
- Yellow-backed Oriole (*Icterus chrysater*)
- Baltimore Oriole (*Icterus galbula*)
- Jamaican Oriole (*Icterus leucopteryx*)
- Yellow Oriole (*Icterus nigrogularis*)
- Oriole Blackbird (*Gymnomystax mexicanus*)
- Colombian Mountain Grackle (*Macroagelaius subalaris*) E
- Red-bellied Grackle (*Hypopyrrhus pyrohypogaster*) E
- Velvet-fronted Grackle (*Lamprosar tanagrinus*)
- Yellow-hooded Blackbird (*Chrysomus icterocephalus*)
- Giant Cowbird (*Molothrus oryzivorus*)
- Bronze-brown Cowbird (*Molothrus armenti*) E
- Shiny Cowbird (*Molothrus bonariensis*)
- Scrub Blackbird (*Dives warczewiczii*)
- Carib Grackle (*Quiscalus lugubris*)
- Great-tailed Grackle (*Quiscalus mexicanus*)
- Red-breasted Blackbird (*Sturnella militaris*)
- Peruvian Meadowlark (*Sturnella bellicosa*)
- Eastern Meadowlark (*Sturnella magna*)
- Bobolink (*Dolichonyx oryzivorus*)

Bananaquit (Coerebidae)

- Bananaquit (*Coereba flaveola*)

Buntings and New World Sparrows (Emberizidae)

- Rufous-collared Sparrow (*Zonotrichia capensis*)
- Savannah Sparrow (*Passerculus sandwichensis*)
- Grasshopper Sparrow (*Ammodramus savannarum*)
- Grassland Sparrow (*Ammodramus humeralis*)
- Yellow-browed Sparrow (*Ammodramus aurifrons*)
- Tocuyo Sparrow (*Arremonops tocuyensis*)
- Black-striped Sparrow (*Arremonops conirostris*)
- Pectoral Sparrow (*Arremon taciturnus*)
- Orange-billed Sparrow (*Arremon aurantirostris*)
- Golden-winged Sparrow (*Arremon schlegelii*)
- Chestnut-capped Brush Finch (*Arremon brunneinucha*)
- Colombian Brush Finch (*Arremon basilicus*) E
- Phelp's Brush Finch (*Arremon perijanus*)
- Grey-browed Brush Finch (*Arremon assimilis*)
- Black-headed Brush Finch (*Arremon atricapillus*)
- Sooty-faced Finch (*Arremon crassirostris*)
- Olive Finch (*Arremon castaneiceps*)
- Moustached Brush Finch (*Atlapetes albofrenatus*)
- Ochre-breasted Brush Finch (*Atlapetes semirufus*)
- White-naped Brush Finch (*Atlapetes albinucha*)
- Santa Marta Brush Finch (*Atlapetes melanocephalus*) E
- Pale-naped Brush Finch (*Atlapetes pallidnucha*)
- Yellow-headed Brush Finch (*Atlapetes flaviceps*)
- Dusky-headed Brush Finch (*Atlapetes fuscolivaceus*) E
- Choco Brush Finch (*Atlapetes crassus*)
- White-rimmed Brush Finch (*Atlapetes leucopis*)
- Rufous-naped Brush Finch (*Atlapetes latinuchus*)
- Antioquia Brush Finch (*Atlapetes blancae*) E
- Slaty Brush Finch (*Atlapetes schistaceus*)
- Red-capped Cardinal (*Paroaria gularis*)
- Common Bush Tanager (*Chlorospingus ophthalmicus*)
- Tacarcuna Bush Tanager (*Chlorospingus tacarcunae*) E
- Dusky Bush Tanager (*Chlorospingus semifuscus*)
- Yellow-whiskered Bush Tanager (*Chlorospingus parvirostris*)
- Yellow-throated Bush Tanager (*Chlorospingus flavigularis*)
- Yellow-green Bush Tanager (*Chlorospingus flavovirens*)
- Ashy-throated Bush Tanager (*Chlorospingus canigularis*)

Tanagers (Thraupidae)

- Black-faced Tanager (*Schistochlamys melanopsis*)
- Magpie Tanager (*Cissopis leverianus*)
- Black-and-white Tanager (*Conothraupis speculigera*)
- White-capped Tanager (*Sericossypha albocristata*)
- Hooded Tanager (*Nemosia pileata*)
- Rufous-crested Tanager (*Creurgops verticalis*)
- Dusky-faced Tanager (*Mitrospingus cassinii*)
- Carmiol's Tanager (*Chlorothraupis carmioli*)
- Olive Tanager (*Chlorothraupis frenata*)
- Lemon-spectacled Tanager (*Chlorothraupis olivacea*)

Tanagers (Thraupidae)

- Ochre-breasted Tanager (*Chlorothraupis stolzmanni*)
- Black-capped Hemispingus (*Hemispingus atropileus*)
- Superciliaried Hemispingus (*Hemispingus superciliaris*)
- Grey-capped Hemispingus (*Hemispingus reyi*)
- Oleaginous Hemispingus (*Hemispingus frontalis*)
- Black-eared Hemispingus (*Hemispingus melanotis*)
- Western Hemispingus (*Hemispingus ochraceus*)
- Black-headed Hemispingus (*Hemispingus verticalis*)
- Grey-hooded Bush Tanager (*Cnemoscopus rubrirostris*)
- Fulvous-headed Tanager (*Thlypopsis fulviceps*)
- Rufous-chested Tanager (*Thlypopsis ornata*)
- Orange-headed Tanager (*Thlypopsis sordida*)
- Grey-headed Tanager (*Eucometis penicillata*)
- Flame-crested Tanager (*Tachyphonus cristatus*)
- Fulvous-crested Tanager (*Tachyphonus surinamus*)
- White-shouldered Tanager (*Tachyphonus luctuosus*)
- Tawny-crested Tanager (*Tachyphonus delatrii*)
- White-lined Tanager (*Tachyphonus rufus*)
- Red-shouldered Tanager (*Tachyphonus phoenicius*)
- Fulvous Shrike-tanager (*Lanio fulvus*)
- Masked Crimson Tanager (*Ramphocelus nigrogularis*)
- Crimson-backed Tanager (*Ramphocelus dimidiatus*)
- Silver-beaked Tanager (*Ramphocelus carbo*)
- Flame-rumped Tanager (*Ramphocelus flammigerus*) E
- Lemon-rumped Tanager (*Ramphocelus icteronotus*)
- Blue-grey Tanager (*Thraupis episcopus*)
- Glaucous Tanager (*Thraupis glaucocolpa*)
- Palm Tanager (*Thraupis palmarum*)
- Blue-capped Tanager (*Thraupis cyanocephala*)
- Vermilion Tanager (*Calochaetes coccineus*)
- Black-and-gold Tanager (*Bangsia melanochlamys*) E
- Golden-chested Tanager (*Bangsia rothschildi*)
- Moss-backed Tanager (*Bangsia edwardsi*)
- Gold-ringed Tanager (*Bangsia aureocincta*) E
- Hooded Mountain Tanager (*Buthraupis montana*)
- Black-chested Mountain Tanager (*Buthraupis eximia*)
- Masked Mountain Tanager (*Buthraupis wetmorei*)
- Santa Marta Mountain Tanager (*Anisognathus melanogenys*)E
- Lacrimose Mountain Tanager (*Anisognathus lacrymosus*)
- Scarlet-bellied Mountain Tanager (*Anisognathus igniventris*)
- Blue-winged Mountain Tanager (*Anisognathus somptuosus*)
- Black-chinned Mountain Tanager (*Anisognathus notabilis*)
- Grass-green Tanager (*Chlorornis riefferii*)
- Buff-breasted Mountain Tanager (*Dubusia taeniata*)
- Purplish-mantled Tanager (*Iridosornis porphyrocephalus*)
- Yellow-throated Tanager (*Iridosornis analis*)
- Golden-crowned Tanager (*Iridosornis rufivertex*)
- Fawn-breasted Tanager (*Pipraeidea melanonota*)
- Glistening-green Tanager (*Chlorochrysa phoenicotis*)

Tanagers (Thraupidae)

- Orange-eared Tanager (*Chlorochrysa calliparaea*)
- Multicolored Tanager (*Chlorochrysa nitidissima*) E
- Plain-colored Tanager (*Tangara inornata*)
- Grey-and-gold Tanager (*Tangara palmeri*)
- Turquoise Tanager (*Tangara mexicana*)
- Paradise Tanager (*Tangara chilensis*)
- Blue-whiskered Tanager (*Tangara johannae*)
- Green-and-gold Tanager (*Tangara schrankii*)
- Emerald Tanager (*Tangara florida*)
- Golden Tanager (*Tangara arthus*)
- Silver-throated Tanager (*Tangara icterocephala*)
- Saffron-crowned Tanager (*Tangara xanthocephala*)
- Golden-eared Tanager (*Tangara chrysotis*)
- Flame-faced Tanager (*Tangara parzudakii*)
- Yellow-bellied Tanager (*Tangara xanthogastra*)
- Spotted Tanager (*Tangara punctata*)
- Speckled Tanager (*Tangara guttata*)
- Dotted Tanager (*Tangara varia*)
- Rufous-throated Tanager (*Tangara rufigula*)
- Bay-headed Tanager (*Tangara gyrola*)
- Rufous-winged Tanager (*Tangara lavinia*)
- Burnished-buff Tanager (*Tangara cayana*)
- Scrub Tanager (*Tangara vitriolina*)
- Golden-naped Tanager (*Tangara ruficervix*)
- Metallic-green Tanager (*Tangara labradorides*)
- Blue-browed Tanager (*Tangara cyanotis*)
- Blue-necked Tanager (*Tangara cyanicollis*)
- Golden-hooded Tanager (*Tangara larvata*)
- Masked Tanager (*Tangara nigrocincta*)
- Green-naped Tanager (*Tangara fucosa*)
- Beryl-spangled Tanager (*Tangara nigroviridis*)
- Blue-and-black Tanager (*Tangara vassorii*)
- Black-capped Tanager (*Tangara heinei*)
- Black-headed Tanager (*Tangara cyanoptera*)
- Opal-rumped Tanager (*Tangara velia*)
- Opal-crowned Tanager (*Tangara callophrys*)
- Swallow Tanager (*Tersina viridis*)
- White-bellied Dacnis (*Dacnis albiventris*)
- Black-faced Dacnis (*Dacnis lineata*)
- Yellow-tufted Dacnis (*Dacnis egregia*)
- Yellow-bellied Dacnis (*Dacnis flaviventer*)
- Turquoise Dacnis (*Dacnis hartlaubi*) E
- Scarlet-thighed Dacnis (*Dacnis venusta*)
- Blue Dacnis (*Dacnis cayana*)
- Viridian Dacnis (*Dacnis viguieri*)
- Scarlet-breasted Dacnis (*Dacnis berlepschi*)
- Short-billed Honeycreeper (*Cyanerpes nitidus*)
- Shining Honeycreeper (*Cyanerpes lucidus*)
- Purple Honeycreeper (*Cyanerpes caeruleus*)

Tanagers (Thraupidae)

- Red-legged Honeycreeper (*Cyanerpes cyaneus*)
- Green Honeycreeper (*Chlorophanes spiza*)
- Golden-collared Honeycreeper (*Iridophanes pulcherrimus*)
- Scarlet-browed Tanager (*Heterospingus xanthopygius*)
- Guira Tanager (*Hemithraupis guira*)
- Yellow-backed Tanager (*Hemithraupis flavicollis*)
- Scarlet-and-white Tanager (*Chrysothlypis salmomi*)
- Chestnut-vented Conebill (*Conirostrum speciosum*)
- White-eared Conebill (*Conirostrum leucogenys*)
- Bicolored Conebill (*Conirostrum bicolor*)
- Cinereous Conebill (*Conirostrum cinereum*)
- Rufous-browed Conebill (*Conirostrum rufum*)
- Blue-backed Conebill (*Conirostrum sitticolor*)
- Capped Conebill (*Conirostrum albifrons*)
- Giant Conebill (*Oreomanes fraseri*)
- Rusty Flowerpiercer (*Diglossa sittoides*)
- Chestnut-bellied Flowerpiercer (*Diglossa gloriosissima*) E
- Glossy Flowerpiercer (*Diglossa lafresnayii*)
- Black Flowerpiercer (*Diglossa humeralis*)
- Black-throated Flowerpiercer (*Diglossa brunneiventris*)
- White-sided Flowerpiercer (*Diglossa albilatera*)
- Indigo Flowerpiercer (*Diglossa indigotica*)
- Golden-eyed Flowerpiercer (*Diglossa glauca*)
- Bluish Flowerpiercer (*Diglossa caerulescens*)
- Masked Flowerpiercer (*Diglossa cyanea*)
- Black-backed Bush Tanager (*Urothraupis stolzmanni*)
- Tanager Finch (*Oreothraupis arremonops*)
- Grey Pileated Finch (*Coryphospingus pileatus*)
- Crimson-breasted Finch (*Rhodospingus cruentus*)
- Plumbeous Sierra Finch (*Phrygilus unicolor*)
- Slaty Finch (*Haplospiza rustica*)
- Stripe-tailed Yellow Finch (*Sicalis citrina*)
- Orange-fronted Yellow Finch (*Sicalis columbiana*)
- Saffron Finch (*Sicalis flaveola*)
- Grassland Yellow Finch (*Sicalis luteola*)
- Wedge-tailed Grass Finch (*Emberizoides herbicola*)
- Blue-black Grassquit (*Volatinia jacarina*)
- Slate-colored Seedeater (*Sporophila schistacea*)
- Plumbeous Seedeater (*Sporophila plumbea*)
- Variable Seedeater (*Sporophila corvina*)
- Grey Seedeater (*Sporophila intermedia*)
- Caqueta Seedeater (*Sporophila murallae*)
- Lesson's Seedeater (*Sporophila bouvronides*)
- Lined Seedeater (*Sporophila lineola*)
- Black-and-white Seedeater (*Sporophila luctuosa*)
- Yellow-bellied Seedeater (*Sporophila nigricollis*)
- Double-collared Seedeater (*Sporophila caerulescens*)
- Ruddy-breasted Seedeater (*Sporophila minuta*)
- Chestnut-bellied Seedeater (*Sporophila castaneiventris*)

Tanagers (Thraupidae)

- Chestnut-throated Seedeater (*Sporophila telasco*)
- Thick-billed Seed Finch (*Oryzoborus funereus*)
- Chestnut-bellied Seed Finch (*Oryzoborus angolensis*)
- Large-billed Seed Finch (*Oryzoborus crassirostris*)
- Great-billed Seed Finch (*Oryzoborus maximiliani*)
- Blue Seedeater (*Amaurospiza concolor*)
- White-naped Seedeater (*Dolospingus fringilloides*)
- Band-tailed Seedeater (*Catamenia analis*)
- Plain-colored Seedeater (*Catamenia inornata*)
- Paramo Seedeater (*Catamenia homochroa*)
- Yellow-faced Grassquit (*Tiaris olivacea*)
- Dull-colored Grassquit (*Tiaris obscurus*)
- Black-faced Grassquit (*Tiaris bicolor*)
- Sooty Grassquit (*Tiaris fuliginosus*)
- Tooth-billed Tanager (*Piranga lutea*)
- Summer Tanager (*Piranga rubra*)
- Scarlet Tanager (*Piranga olivacea*)
- White-winged Tanager (*Piranga leucoptera*)
- Red-hooded Tanager (*Piranga rubriceps*)
- Red-crowned Ant Tanager (*Habia rubica*)
- Red-throated Ant Tanager (*Habia fuscicauda*)
- Sooty Ant Tanager (*Habia gutturalis*) E
- Crested Ant Tanager (*Habia cristata*) E
- Rosy Thrush-tanager (*Rhodinocichla rosea*)
- Plushcap (*Catamblyrhynchus diadema*)

Grosbeaks, Saltators & Allies (Cardinalidae)

- Dickcissel (*Spiza americana*)
- Southern Yellow Grosbeak (*Pheucticus chrysogaster*)
- Black-backed Grosbeak (*Pheucticus aureoventris*)
- Rose-breasted Grosbeak (*Pheucticus ludovicianus*)
- Rose-breasted Chat (*Granatellus pelzelni*)
- Vermilion Cardinal (*Cardinalis phoeniceus*)
- Yellow-green Grosbeak (*Caryothraustes canadensis*)
- Yellow-shouldered Grosbeak (*Parkerthraustes humeralis*)
- Slate-colored Grosbeak (*Saltator grossus*)
- Buff-throated Saltator (*Saltator maximus*)
- Black-winged Saltator (*Saltator atripennis*)
- Greyish Saltator (*Saltator coerulescens*)
- Orinoco Saltator (*Saltator orenocensis*)
- Masked Saltator (*Saltator cinctus*)
- Streaked Saltator (*Saltator striatipectus*)
- Blue-black Grosbeak (*Cyanocompsa cyanoides*)
- Ultramarine Grosbeak (*Cyanocompsa brissonii*)
- Blue Grosbeak (*Passerina caerulea*)
- Indigo Bunting (*Passerina cyanea*)